

## CHECKLIST

Listado de las 2464 especies y subespecies incluidas en las claves. La <sup>®</sup> señala la condición de endemismo canario (el 60%).

**Aderidae** (5)

- Cobosia angulithorax* (Desbr. des Loges, 1881)
- Cobosia pallescens* (Wollaston, 1854)
- Euglenes oculatissimus* (Wollaston, 1864)<sup>®</sup>
- Euglenes wollastoni* Israelson, 1971<sup>®</sup>
- Vanonus brevicornis rotundaticollis* Isr., 1971<sup>®</sup>

**Anthicidae** (34)

- Anthelephila c. caeruleipennis* (Laf.-Sénect., 1847)
- Anthelephila pedestris* (Rosi, 1790)
- Anthicus crinitus* Laferté-Sénectère, 1949
- Anthicus guttifer* Wollaston, 1864<sup>®</sup>
- Anthicus lapidosus* Wollaston, 1864<sup>®</sup>
- Anthicus latens* Bonadona, 1977
- Anthicus lubbocki* Wollaston, 1857
- Anthicus ophthalmicus* Rottenberg, 1870
- Anthicus tristis tristis* Schmidt, 1842
- Aulacoderus bucheti* Pic, 1903<sup>®</sup>
- Aulacoderus canariensis* (Wollaston, 1864)<sup>®</sup>
- Aulacoderus crenulifer* Kejval, 2017<sup>®</sup>
- Aulacoderus kormosi* Kejval, 2017<sup>®</sup>
- Aulacoderus polygona* Kejval, 2017<sup>®</sup>
- Aulacoderus scydmaenoides* (Wollaston, 1864)<sup>®</sup>
- Aulacoderus setifer* Kejval, 2017<sup>®</sup>
- Aulacoderus sibilans* Kejval, 2017<sup>®</sup>
- Aulacoderus vulcanicus* Kejval, 2017<sup>®</sup>
- Cordicomus instabilis instabilis* (Schmidt, 1842)
- Cordicomus litoralis* (Wollaston, 1854)
- Cordicomus notoxoides* (Wollaston, 1864)<sup>®</sup>
- Cordicomus opaculus opaculus* (Wollaston, 1864)<sup>®</sup>
- Cyclodinus constrictus constrictus* (Curtis, 1838)
- Cyclodinus debilis* (LaFerté-Sénectère, 1849)
- Cyclodinus dimidiatus* (Wollaston, 1864)
- Endomia lefebvrei* (LaFerté-Sénectère, 1849)
- Endomia unifasciata unifasciata* Bonelli, 1807
- Hirticomus hispidus* (Rossi, 1792)
- Hirticomus quadriguttatus* (Rossi, 1794)
- Mecynotarsus bison* (Olivier, 1811)
- Microhoria martinezi* (Pic, 1932)
- Notoxus monoceros* (Linnaeus, 1761)
- Omonadus floralis* (Linnaeus, 1758)
- Stricticomus tobias* (Marseul, 1879)

**Anthribidae** (3)

- Araecerus fasciculatus* (De Geer, 1775)
- Bruchela rufipes rufipes* (Olivier, 1790)
- Cercomorphus titschacki* Uyttenboogaart, 1934<sup>®</sup>

**Attelabidae** (4)

- Auletobius anceps* (Wollaston, 1864)<sup>®</sup>
- Auletobius convexifrons* (Wollaston, 1864)
- Auletobius cylindricollis* (Wollaston, 1864)<sup>®</sup>
- Auletobius garajonay* Stüben 2015<sup>®</sup>

**Belidae** (2)

- Aglycyderes setifer* Westwood, 1863<sup>®</sup>
- Aglycyderes tavakiliani* Menier, 1974

**Biphyllidae** (3)

- Biphyllus lunatus* (Fabricius, 1792)
- Biphyllus subellipticus* (Wollaston, 1862)<sup>®</sup>
- Biphyllus typhaeoides* (Wollaston, 1862)<sup>®</sup>

**Bostrichidae** (14)

- Enneadesmus forficula forficula* Fairmaire, 1883
- Enneadesmus trispinosus* (Olivier, 1795)
- Lyctus brunneus* (Stephens, 1830)
- Lyctus linearis* Goeze, 1777
- Lyctus tomentosus* Reitter, 1879
- Micrapate scabrata* (Ericson, 1847)
- Minthea rugicollis* (Walker, 1858)
- Rhyzopertha dominica* (Fabricius, 1792)
- Scobicia barbifrons* (Wollaston, 1864)<sup>®</sup>
- Scobicia ficicola* (Wollaston, 1865)<sup>®</sup>
- Sinoxylon anale* Lesne, 1897
- Sinoxylon muricatum* (Linnaeus, 1767)
- Stephanopachys brunneus* (Wollaston, 1862)<sup>®</sup>
- Trogoxylon impressum* (Comolli, 1837)

**Bothrideridae** (2)

- Anommatus boiteli* Normal, 1950
- Anommatus duodecimstriatus* (Müller, 1821)

**Brentidae** (26)

- Aspidapion acerifoliae* Suppanschtsch, 1996<sup>®</sup>
- Aspidapion radiolus* (Marsham, 1802)
- Catapion austrinum* (Wollaston, 1864)<sup>®</sup>
- Ceratapion calcaratum* (Wollaston, 1864)<sup>®</sup>
- Corimalia lunulata* (Wollaston, 1863)<sup>®</sup>
- Corimalia martini* (Brisout, 1883)
- Corimalia schatzmayri* Giordani-Soika, 1937
- Cyanapion afer* (Gyllenhal, 1833)
- Dieckmanniellus nitidulus* (Gyllenhal, 1838)
- Diplapion westwoodi* (Wollaston, 1864)<sup>®</sup>
- Eutrichapion vorax* (Herbst, 1810)
- Hemitrichapion wagneri gomerense* Stüben & Behne, 2010<sup>®</sup>
- Hemitrichapion wagneri wagneri* (Flach, 1906)
- Holotrichapion ononis* (Kirby, 1808)
- Holotrichapion rotundipenne* (Wollaston, 1864)<sup>®</sup>
- Ischnopterapion p. plumbeomicans* (Rosenh. 1856)
- Ischnopterapion virens* (Herbst, 1797)
- Kalcapion fortunatum* (Roudier, 1963)<sup>®</sup>
- Kalcapion semivittatum* (Gyllenhal, 1833)
- Lepidapion curvipilosum* (Wagner, 1908)<sup>®</sup>
- Lepidapion senex* (Wollaston, 1864)<sup>®</sup>
- Nanodiscus transversus* (Aubé, 1850)

- Perapion fallax* (Wollaston, 1864)
- Phrissotrichum tubuliferum* (Wollaston, 1864)<sup>©</sup>
- Taeniapion atlanticum* (Uyttenboogaart, 1935)<sup>©</sup>
- Taeniapion diverserostratum* (Uyttenboogaart, 1935)<sup>©</sup>

### Buprestidae (23)

- Acmaeodera bipunctata plagiata* Wollaston, 1864<sup>©</sup>
- Acmaeodera cisti cisti* Wollaston, 1862<sup>©</sup>
- Acmaeodera cisti kudrnaorum* Krajcik, 2012<sup>©</sup>
- Acmaeodera guayarmina* Volkovitsh & Liberto, 2002<sup>©</sup>
- Acmaeodera lugubris fracta* Wollaston, 1864<sup>©</sup>
- Acmaeodera l. schmideggeri* Niehuis & Strauss, 2023<sup>©</sup>
- Acmaeodera tagoror* Arnáiz, García & Bercedo, 2009<sup>©</sup>
- Acmaeoderella elegans elegans* (Harold, 1869)<sup>©</sup>
- Agrilus lanzarotensis* Cobos, 1969<sup>©</sup>
- Anthaxia eggeri* Brandl, 2003
- Anthaxia feloi* Liberto, 2000<sup>©</sup>
- Anthaxia fernandezi* Cobos, 1953<sup>©</sup>
- Anthaxia guanche* Liberto, 2000<sup>©</sup>
- Anthaxia juliae* Liberto, 1996<sup>©</sup>
- Anthaxia protractipennis* Obenberger, 1914
- Anthaxia senilis palmensis* Cobos, 1969<sup>©</sup>
- Anthaxia senilis senilis* Wollaston, 1864<sup>©</sup>
- Buprestis bertheloti* Laporte & Gory, 1837<sup>©</sup>
- Buprestis decora* Fabricius, 1775
- Buprestis haemorrhoidalis* Herbst, 1780
- Chrysobothris grancanariae* Niehuis & Gottw., 1999<sup>©</sup>
- Dicerca moesta* (Fabricius, 1793)
- Meliboeus kubani* Niehuis, 1994<sup>©</sup>

### Byrrhidae (6)

- Curimopsis canariensis* (Franz, 1967)<sup>©</sup>
- Curimopsis dacilae* García & García<sup>©</sup>
- Curimopsis erbani* García & Aguiar 2011<sup>©</sup>
- Curimopsis granulosa* (Wollaston, 1865)<sup>©</sup>
- Curimopsis integra* (Wollaston, 1864)<sup>©</sup>
- Curimopsis tenerifensis* (Palm, 1976)<sup>©</sup>

### Cantharidae (12)

- Malthinus bandamensis* Palm, 1975<sup>©</sup>
- Malthinus croceicollis* Wollaston, 1862<sup>©</sup>
- Malthinus depauperatus* Wollaston, 1862<sup>©</sup>
- Malthinus fuerteventurensis* Palm, 1975<sup>©</sup>
- Malthinus israelsoni* Palm, 1975<sup>©</sup>
- Malthinus lindbergi* Palm, 1975<sup>©</sup>
- Malthinus maspalomensis* Palm, 1975<sup>©</sup>
- Malthinus minimus* Palm, 1975<sup>©</sup>
- Malthinus mutabilis* Wollaston, 1862<sup>©</sup>
- Malthinus neglectus* Palm, 1975<sup>©</sup>
- Malthinus nigrescens* Palm, 1975<sup>©</sup>
- Malthodes canariensis* Escalera, 1921<sup>©</sup>

### Carabidae (254)

- Acupalpus maculatus* Schaum, 1860
- Acupalpus notatus* Mulsant & Rey, 1861
- Aepus gracilicornis meridionalis* Machado, 1992<sup>©</sup>
- Agonum marginatum* (Linnaeus, 1758)
- Amara aenea* (DeGeer, 1774)
- Amara cottyi cottyi* (Coquerel, 1859)

- Amara rufescens shismatica* Antoine, 1953
- Amaroschema gaudini* Jeannel, 1943<sup>©</sup>
- Anchotrechus punctipennis* Jeannel, 1927<sup>©</sup>
- Apotomus angusticollis* Müller, 1943
- Apotomus chaudiroidi* Wollaston, 1860
- Apristus hololeucus* Lindberg, 1950<sup>©</sup>
- Asaphidion curtum delatorrei* Uyttenboogaart, 1928<sup>©</sup>
- Bembidion andreae* Fabricius, 1787
- Bembidion atlanticum atlanticum* Wollaston, 1854
- Bembidion crotchii* Wollaston, 1864<sup>©</sup>
- Bembidion fortunatum* Wollaston, 1871<sup>©</sup>
- Bembidion iricolor* Bedel, 1879
- Bembidion laetum* Brullé, 1839
- Bembidion schmidti alluaudi* (Antoine, 1925)
- Bembidion schmidti subcallosum* Wollaston, 1864
- Bembidion varium* (Olivier, 1792)
- Bembidion vicinum* (Lucas, 1846)
- Bradycellus ventricosus* Wollaston, 1864<sup>©</sup>
- Bradycellus verbasci* (Duftschmid, 1812)
- Broscus crassimargo* Wollaston, 1865<sup>©</sup>
- Broscus glaber* (Brullé 1839)<sup>©</sup>
- Broscus rutilans* Wollaston, 1862<sup>©</sup>
- Calathidius acuminatus* (Wollaston, 1862)<sup>©</sup>
- Calathidius brevithorax* Machado, 1992<sup>©</sup>
- Calathidius sphodroides* (Wollaston, 1862)<sup>©</sup>
- Calathus abaxoides*, Brullé 1839<sup>©</sup>
- Calathus amplius* Escalera, 1921<sup>©</sup>
- Calathus angularis* Brullé 1839<sup>©</sup>
- Calathus angustulus* Wollaston, 1862<sup>©</sup>
- Calathus appendiculatus* Wollaston, 1862<sup>©</sup>
- Calathus ascendens* Wollaston, 1862<sup>©</sup>
- Calathus auctus* Wollaston, 1862<sup>©</sup>
- Calathus canariensis* Harold, 1868<sup>©</sup>
- Calathus carinatus* Brullé, 1839<sup>©</sup>
- Calathus ciliatus* Wollaston, 1862<sup>©</sup>
- Calathus cognatus* Wollaston, 1864<sup>©</sup>
- Calathus depressus* Brullé, 1839<sup>©</sup>
- Calathus freyi* Colas, 1941<sup>©</sup>
- Calathus gomerensis* Colas, 1943<sup>©</sup>
- Calathus gonzalezi* Mateu, 1956<sup>©</sup>
- Calathus lauretica* Wollaston, 1865<sup>©</sup>
- Calathus marcellae* Colas, 1943<sup>©</sup>
- Calathus obliterated* Wollaston, 1865<sup>©</sup>
- Calathus pilosipennis* Machado, 1992<sup>©</sup>
- Calathus rectus* Wollaston, 1862<sup>©</sup>
- Calathus refleximargo* Machado, 1992<sup>©</sup>
- Calathus rufocastaneus* Wollaston, 1862<sup>©</sup>
- Calathus simplicicollis* Wollaston, 1862<sup>©</sup>
- Calathus spretus* Wollaston, 1862<sup>©</sup>
- Calosoma maderae maderae* (Fabricius, 1775)
- Calosoma olivieri* (Dejean, 1831)
- Canarobius chusyae* Machado, 1987<sup>©</sup>
- Canarobius oromii* Machado, 1987<sup>©</sup>
- Carabus abbreviatus* Brullé, 1835<sup>©</sup>
- Carabus coarctatus* Brullé 1839<sup>©</sup>
- Carabus faustus cabrerai* Enderlein, 1929<sup>©</sup>
- Carabus faustus faustus* Brullé 1839<sup>©</sup>
- Chlaenius canariensis canariensis* Dejean, 1831
- Chlaenius circumscriptus* (Duftschmid, 1812)

- Chlaenius spoliatus spoliatus* (Rossi, 1790)
- Crasodactylus punctatus* Guérin-Ménéville, 1847
- Cryptophonus fulvus* (Dejean, 1829)
- Cryptophonus janinae* (Jeanne, 1984)<sup>©</sup>
- Cryptophonus schaumii* (Wollaston, 1864)<sup>©</sup>
- Cryptophonus tenebrosus* (Dejean, 1829)
- Cymindis amicta* (Wollaston, 1864)<sup>©</sup>
- Cymindis cincta* Brullé, 1839<sup>©</sup>
- Cymindis discophora* Chaudoir, 1873
- Cymindis marginella* Brullé 1839<sup>©</sup>
- Cymindis moralesi* Mateu, 1979<sup>©</sup>
- Cymindis simillima* (Wollaston, 1865)<sup>©</sup>
- Cymindis suturalis pseudosuturalis* Bedel, 1906
- Cymindis velata* (Wollaston, 1865)<sup>©</sup>
- Cymindis zargoides* (Wollaston, 1863)<sup>©</sup>
- Daptus vittatus* Fischer von Waldheim, 1823
- Demetrias atricapillus* (Linnaeus, 1758)
- Dicheirotichus obsoletus* (Dejean, 1829)
- Dicheirotichus punicus punicus* Bedel, 1899
- Dicrodontus alluaudi* Mateu, 1952<sup>©</sup>
- Dicrodontus aptinoides* (Wollaston, 1865)<sup>©</sup>
- Dicrodontus brunneus brunneus* (Dejean, 1831)<sup>©</sup>
- Dicrodontus brunneus exilis* Machado, 1992<sup>©</sup>
- Dixus interruptus* (Fabricius, 1775)
- Dromius angustus dissimilis* Machado, 1992<sup>©</sup>
- Dromius angustus plagipennis* Wollaston, 1865<sup>©</sup>
- Dromius brittoni* Mateu, 1957<sup>©</sup>
- Dyschirius armatus* Wollaston, 1864
- Dyschirius auriculatus auriculatus* Wollaston, 1867
- Dyschirius chalybeus chalybeus* (Putzeys, 1846)
- Dyschirius clypeatus* (Putzeys, 1866)
- Dyschirius pauxillus* Wollaston, 1864
- Elaphropus curvimana* (Wollaston, 1854)
- Elaphropus haemorrhoidalis* (Ponza, 1805)
- Eutrichopus canariensis* (Brullé 1839)<sup>©</sup>
- Eutrichopus gonzalezi* (Mateu, 1954)<sup>©</sup>
- Eutrichopus tobiasi* Donabauer, 2008<sup>©</sup>
- Gietopus martini* (Machado, 1984)<sup>©</sup>
- Gomerina calathiformis* (Wollaston, 1865)<sup>©</sup>
- Gomerina nitidicollis* (Lindberg, 1953)<sup>©</sup>
- Graniger femoralis* (Coquerel, 1858)
- Habrodera nilotica* (Dejean, 1825)
- Harpalus distinguendus distinguendus* (Duft., 1812)
- Laemostenus complanatus* (Dejean, 1828)
- Leistus kratkyi* Machado, 2020<sup>©</sup>
- Leistus nubivagus* Wollaston, 1864<sup>©</sup>
- Licinopsis alternans* (Dejean, 1828)<sup>©</sup>
- Licinopsis angustula* Machado, 1987<sup>©</sup>
- Licinopsis gaudini* Jeannel, 1937<sup>©</sup>
- Licinopsis obliterata franzi* Machado, 1987<sup>©</sup>
- Licinopsis obliterata obliterata* (Wollaston, 1865)<sup>©</sup>
- Licinopsis picescens gomerita* Machado, 1987<sup>©</sup>
- Licinopsis picescens picescens* (Wollaston, 1864)<sup>©</sup>
- Licinopsis schurmanni* Machado, 1987<sup>©</sup>
- Licinus manriquianus* Wollaston, 1862<sup>©</sup>
- Licinus punctatulus granulatus* Dejean, 1826
- Lymnastis gaudini gaudini* Jeannel, 1929<sup>©</sup>
- Lymnastis gaudini gomeriae* Franz, 1965<sup>©</sup>
- Lymnastis subovatus* Machado, 1992<sup>©</sup>
- Lymnastis thoracicus* Machado, 1992<sup>©</sup>
- Masoreus affinis arenicola* Wollaston, 1863
- Masoreus alticola* Wollaston, 1864<sup>©</sup>
- Masoreus orientalis nobilis* Wollaston, 1864
- Metadromius palmi* Machado, 1992<sup>©</sup>
- Metadromius pervenustus* (Wollaston, 1864)<sup>©</sup>
- Microlestes abeillei brisouti* Holdhaus, 1912
- Microlestes angusteforcipatus* Antoine, 1940
- Microlestes corticalis* Dufour, 1820
- Microlestes gomerensis* Lindberg, 1953
- Microlestes luctuosus chobauti* Jeannel, 1942
- Nebria currax* Wollaston, 1864<sup>©</sup>
- Nebria dilatata* Dejean, 1836<sup>©</sup>
- Nesacinopus empiricus* (Wollaston, 1865)<sup>©</sup>
- Nesacinopus fortunatus* (Wollaston, 1863)<sup>©</sup>
- Nesacinopus micans* (Wollaston, 1864)<sup>©</sup>
- Nesacinopus sanctaerucis* (Wollaston, 1864)<sup>©</sup>
- Nesacinopus solitarius* (Wollaston, 1863)<sup>©</sup>
- Nesacinopus uyttendoogaarti* (Van Emden, 1929)<sup>©</sup>
- Notiobia cupripennis* (Germar, 1824)
- Notiophilus geminatus* Dejean, 1831
- Notiophilus quadripunctatus* Dejean, 1826
- Ocys harpaloides* (Audinet-Serville 1821)
- Olisthopus elongatus* Wollaston, 1854
- Olisthopus glabratus glabratus* Brullé, 1839<sup>©</sup>
- Olisthopus glabratus tamaranus* Machado, 1992<sup>©</sup>
- Olisthopus palmensis* Wollaston, 1864<sup>©</sup>
- Orthomus berytensis* (Reiche & Soulczy, 1854)
- Orthomus discors* (Wollaston, 1864)<sup>©</sup>
- Orzolina kratkyi* Machado, 2025<sup>©</sup>
- Orzolina thalassophila* Machado, 1987<sup>©</sup>
- Paradromius amoenus* (Wollaston, 1864)<sup>©</sup>
- Paradromius amplius* Machado, 1992<sup>©</sup>
- Paradromius exornatus exornatus* Machado, 1992<sup>©</sup>
- Paradromius exornatus furvus* Machado, 1992<sup>©</sup>
- Paradromius hariensis* Machado, 1992<sup>©</sup>
- Paradromius insularis illautus* Machado, 1992<sup>©</sup>
- Paradromius iucundus gillerforsii* Machado, 1992<sup>©</sup>
- Paradromius iucundus iucundus* Machado, 1992<sup>©</sup>
- Paradromius linearis linearis* (Olivier, 1795)<sup>©</sup>
- Paradromius purpurarius* Machado, 1992<sup>©</sup>
- Paradromius scholzi* Machado, 1992<sup>©</sup>
- Paradromius strigifrons grancanariensis* Mach., 1992<sup>©</sup>
- Paradromius strigifrons strigifrons* (Wollaston, 1865)<sup>©</sup>
- Paradromius strigifrons tinerefsis* (Mateu, 1961)<sup>©</sup>
- Paradromius tamaranus* Machado, 1992<sup>©</sup>
- Paraeutrichopus harpaloides* (Wollaston, 1864)<sup>©</sup>
- Paraeutrichopus pecoudi* Mateu, 1954<sup>©</sup>
- Paranchus albipes* (Fabricius, 1796)
- Paranchus debilis* (Wollaston, 1864)<sup>©</sup>
- Paranchus nichollsii* (Wollaston, 1864)<sup>©</sup>
- Parazuphium damascenum canariense* Mach., 1992<sup>©</sup>
- Parazuphium feloi* Machado, 1998<sup>©</sup>
- Pedius figuratus* (Wollaston, 1864)<sup>©</sup>
- Perigona nigriceps* (Dejean, 1831)
- Perileptus areolatus nigrifolius* Wollaston, 1863
- Pheropsophus hispanicus* (Dejean, 1823)
- Philorhizus atlanticus atlanticus* Mateu, 1957<sup>©</sup>
- Philorhizus atlanticus fortunatus* Mateu, 1957<sup>©</sup>

- Philorhizus atlanticus palmensis* Machado, 1992<sup>©</sup>  
 *Philorhizus beidensis beidensis* Antoine, 1940  
 *Philorhizus bravoorum* Mateu, 1957<sup>©</sup>  
 *Philorhizus elliptipennis* (Wollaston, 1864)<sup>©</sup>  
 *Philorhizus ferranians* Mateu, 1956<sup>©</sup>  
 *Philorhizus franzi* Machado, 1992<sup>©</sup>  
 *Philorhizus fumatus* Mateu, 1961<sup>©</sup>  
 *Philorhizus incertus incertus* (Wollaston, 1864)<sup>©</sup>  
 *Philorhizus incertus jandiensis* Machado, 1992<sup>©</sup>  
 *Philorhizus insignis* Lucas, 1846  
 *Philorhizus lindbergi* Mateu, 1956<sup>©</sup>  
 *Philorhizus longicollis* (Wollaston, 1865)<sup>©</sup>  
 *Philorhizus mateui* Machado, 1992<sup>©</sup>  
 *Philorhizus parvicollis* (Wollaston, 1865)<sup>©</sup>  
 *Platyderus alticola alticola* (Wollaston, 1864)<sup>©</sup>  
 *Platyderus alticola descendens* Bedel, 1902<sup>©</sup>  
 *Platyderus alticola gomerensis* Machado, 1992<sup>©</sup>  
 *Platyderus alticola hierroensis* Machado, 1992<sup>©</sup>  
 *Platyderus lancerottensis* Israelson, 1990<sup>©</sup>  
 *Platyrtarus famini famini* (Dejean, 1826)  
 *Platyrtarus gracilis occidentalis* Antoine, 1933  
 *Poecilus gisellae freyanus* (Uyttenboogaart, 1940)  
 *Poecilus wollastoni* (Wollaston, 1854)  
 *Pogonus chalceus viridanus* Dejean, 1828  
 *Pogonus gilvipes* Dejean, 1828  
 *Polyderis algiricus* Lucas, 1846  
 *Pseudomyas doramasensis* Uyttenboogaart, 1929<sup>©</sup>  
 *Pseudoplatyderus amblyops* Bolívar, 1940<sup>©</sup>  
 *Scarites buparius* (Forster, 1771)  
 *Siagona europaea* Dejean, 1826  
 *Spelaeovulcania canariensis* Machado, 1987<sup>©</sup>  
 *Sphodrus leucophthalmus* (Linnaeus, 1758)  
 *Stenolophus marginatus* (Dejean, 1829)  
 *Stenolophus teutonius* (Schrank, 1781)  
 *Syntomus brevipennis* (Wollaston, 1864)<sup>©</sup>  
 *Syntomus fuscomaculatus* (Motschulsky, 1845)  
 *Syntomus inaequalis* (Wollaston, 1863)<sup>©</sup>  
 *Syntomus lancerotensis* (Wollaston, 1864)<sup>©</sup>  
 *Syntomus lateralis schrammi* Antoine, 1940  
 *Syrdenus grayii* (Wollaston, 1862)  
 *Tachys c. centromaculatus* Wollaston, 1864  
 *Tachys dimidiatus* Motschulsky, 1849  
 *Tachys fortunatus* Machado, 1989  
 *Tachys pallorus* Kopecky, 2003  
 *Tachyta nana nana* (Gyllenhal, 1810)  
 *Thalassophilus subterraneus* Machado, 1990<sup>©</sup>  
 *Thalassophilus whitei* Wollaston, 1854  
 *Trechus antonii* Jeannel, 1936<sup>©</sup>  
 *Trechus benahoaritus* Machado, 1990<sup>©</sup>  
 *Trechus cabrerai* (Jeannel, 1936)<sup>©</sup>  
 *Trechus deterius* Wollaston, 1864<sup>©</sup>  
 *Trechus felix* Wollaston, 1864<sup>©</sup>  
 *Trechus flavocinctus flavocinctus* Jeannel, 1922<sup>©</sup>  
 *Trechus flavocinctus gomeriae* Jeannel, 1936<sup>©</sup>  
 *Trechus flavocircumdatus* Jeannel, 1922<sup>©</sup>  
 *Trechus flavolimbatus* Wollaston, 1863<sup>©</sup>  
 *Trechus fortunatus* Jeannel, 1927<sup>©</sup>  
 *Trechus gomerensis* Franz, 1986<sup>©</sup>  
 *Trechus laureticola* Jeannel, 1936<sup>©</sup>  
 *Trechus machadoensis* Franz, 1984<sup>©</sup>  
 *Trechus minioculatus* Machado, 1987<sup>©</sup>  
 *Trechus sylviae* Lompe, 2000<sup>©</sup>  
 *Trechus tenoensis* Israelson, & Palm, 1979<sup>©</sup>  
 *Trechus uyttenboogaarti* Jeannel, 1936<sup>©</sup>  
 *Tschitscherinellus cordatus cordatus* (Dejean, 1825)  
 *Wolltinerfia anagae* (Medina & Oromí, 1991)<sup>©</sup>  
 *Wolltinerfia tenerifae* (Machado, 1984)<sup>©</sup>  
 *Zabrus canaricus* Machado, 1992<sup>©</sup>  
 *Zabrus crassus* Dejean, 1828<sup>©</sup>  
 *Zabrus laevigatus* Zimmermann, 1831<sup>©</sup>  
 *Zargus crotchianus* Wollaston, 1865<sup>©</sup>
- Cerambycidae** (29)
- Agapanthia suturalis* (Fabricius, 1787)  
 *Arhopalus pinetorum* Wollaston, 1863<sup>©</sup>  
 *Blabinotus spinicollis* Wollaston, 1854  
 *Cephalocrius syriacus* (Reitter, 1895)  
 *Chlorophorus glabromaculatus glaucus* (Fab., 1881)  
 *Delagrangeus schurmanni* Sama, 1985<sup>©</sup>  
 *Gracilia minuta* (Fabricius, 1781)  
 *Hesperoferus machadoi* (Sama & Schurmann, 1983)<sup>©</sup>  
 *Hesperoferus roridus* (Brullé 1839)<sup>©</sup>  
 *Hylotrupes bajulus* (Linnaeus, 1758)  
 *Lepromoris gibba* (Brullé 1839)<sup>©</sup>  
 *Nathrius brevipennis* (Mulsant, 1839)  
 *Oxypleurus nodieri* Mulsant, 1839  
 *Penichroa fasciata* (Stephens, 1831)  
 *Phoracantha recurva* Newman, 1840  
 *Phoracantha semipunctata* (Fabricius, 1775)  
 *Stenidea albida* (Brullé 1839)<sup>©</sup>  
 *Stenidea annulicornis* (Brullé 1839)<sup>©</sup>  
 *Stenidea costigera* Demelt, 1982<sup>©</sup>  
 *Stenidea gertiana* (Sama, 1996)<sup>©</sup>  
 *Stenidea gomeriae* (Sama, 1996)<sup>©</sup>  
 *Stenidea hesperus* Wollaston, 1863<sup>©</sup>  
 *Stenidea lorenzoi* (García, 2002)<sup>©</sup>  
 *Stenidea niveopicta* Demelt, 1982<sup>©</sup>  
 *Stenidea pilosa* (Wollaston, 1862)<sup>©</sup>  
 *Stenidea schurmanni* (Sama, 1996)<sup>©</sup>  
 *Stenopterus rufus* (Linnaeus, 1767)  
 *Stictoleptura palmi* (Demelt, 1972)<sup>©</sup>  
 *Trichoferus fasciculatus senex* (Wollaston, 1854)
- Cerylonidae** (1)
- Euxestus parkii* Wollaston, 1858
- Chrysomelidae** (116)
- Acanthoscelides macrophthalmus* (Schaefer, 1907)  
 *Acanthoscelides obtectus* (Say, 1931)  
 *Altica a. ampelophaga* Guérin-Méneville, 1858  
 *Aphthona convexior* Lindberg, 1950<sup>©</sup>  
 *Aphthona crassipes* (Wollaston, 1860)<sup>©</sup>  
 *Aphthona gomerensis* (Gruev & Petitpierre, 1979)<sup>©</sup>  
 *Aphthona illigeri* Bedel, 1898  
 *Aphthona moralesi* Madar & Madar, 1965<sup>©</sup>  
 *Aphthona occidentalis* Lindberg, 1950<sup>©</sup>  
 *Aphthona paivana* (Wollaston, 1860)<sup>©</sup>  
 *Aphthona plenifrons* (Wollaston, 1864)<sup>©</sup>

- Aphthona tristis* Lindberg, 1950<sup>©</sup>
  - Aphthona wachnitzae* (Madar & Madar, 1968)
  - Aphthona wollastoni* (Lindberg, 1950)<sup>©</sup>
  - Bruchidius antennatus* (Wollaston, 1864)<sup>©</sup>
  - Bruchidius bimaculatus* (Olivier, 1795)
  - Bruchidius foveolatus* (Gyllenhal, 1833)
  - Bruchidius guanchorum* Decelle, 1975<sup>©</sup>
  - Bruchidius lichenicola* (Wollaston, 1854)
  - Bruchidius lividimanus* (Gyllenhal, 1833)
  - Bruchidius taorminensis* (Blanchard, 1844)
  - Bruchidius tenerifensis* Anton, 1999<sup>©</sup>
  - Bruchidius wollastoni* Decelle, 1975<sup>©</sup>
  - Bruchus canariensis* Decelle, 1975<sup>©</sup>
  - Bruchus ervi* Fröhlich, 1799
  - Bruchus hierroensis* Decelle, 1979<sup>©</sup>
  - Bruchus pisorum* (Linnaeus, 1758)
  - Bruchus rufimanus* Boheman, 1833
  - Bruchus rufipes* Herbst, 1783
  - Bruchus signaticornis* Gyllenhal, 1833
  - Bruchus tristiculus* Fähræus, 1839
  - Bruchus ulicis* Mulsant & Rey, 1858
  - Callosobruchus chinensis* (Linnaeus, 1758)
  - Callosobruchus maculatus* (Fabricius, 1775)
  - Calomicrus bispiniger bispiniger* (Israelson, 1969)<sup>©</sup>
  - Calomicrus bispiniger longicornis* Israelson, 1980<sup>©</sup>
  - Calomicrus doramasensis* Vela & García, 1997<sup>©</sup>
  - Calomicrus wollastoni* Paiva, 1861<sup>©</sup>
  - Caryedon gonagra* (Fabricius, 1798)
  - Cassida hemisphaerica* Herbst, 1799
  - Cassida vittata* Villers, 1789
  - Chaetocnema tarsalis* Wollaston, 1860
  - Chrysolina americana* Linnaeus, 1758
  - Chrysolina bankii* (Fabricius, 1775)
  - Chrysolina bicolor* (Fabricius, 1775)
  - Chrysolina costalis* (Olivier, 1807)<sup>©</sup>
  - Chrysolina fortunata* (Wollaston, 1864)<sup>©</sup>
  - Chrysolina gemina* (Brullé 1839)
  - Chrysolina lucidicollis grossepunctata* (Lindb., 1950)<sup>©</sup>
  - Chrysolina peregrina* Herrich-Schäffer, 1839
  - Chrysolina wollastoni* (Bechyné, 1957)<sup>©</sup>
  - Crioceris nigropicta* Wollaston, 1864<sup>©</sup>
  - Cryptocephalus gounellei* Pic, 1922
  - Cryptocephalus nitidicollis* Wollaston, 1864<sup>©</sup>
  - Cryptocephalus puncticollis* Wollaston, 1864<sup>©</sup>
  - Cryptocephalus trapezicollis* Lindberg, 1953<sup>©</sup>
  - Dibolia magnifica* Lindberg, 1950<sup>©</sup>
  - Dibolia obtusa* Wollaston, 1864<sup>©</sup>
  - Dicladispa occator* (Brullé 1839)<sup>©</sup>
  - Epithrix allardi* (Wollaston, 1860)<sup>©</sup>
  - Lema bilineata* Germar, 1823
  - Longitarsus aeneus* Kutschera, 1862
  - Longitarsus apicalis* (Beck, 1817)
  - Longitarsus brevipennis* Wollaston, 1860<sup>©</sup>
  - Longitarsus cerinthes* (Schrank, 1798)
  - Longitarsus echii* (Koch, 1803)
  - Longitarsus gomerensis* Biondi, 1986<sup>©</sup>
  - Longitarsus inconspicuus* Wollaston, 1860<sup>©</sup>
  - Longitarsus jandiensis* Biondi, 1986<sup>©</sup>
  - Longitarsus kleiniiperda* Wollaston, 1860<sup>©</sup>
  - Longitarsus messerschmidiae* Wollaston, 1860
  - Longitarsus n. nigrofasciatus* (Goeze, 1777)
  - Longitarsus nubigena* Wollaston, 1854
  - Longitarsus ochroleucus ochroleucus* (Marsham, 1802)
  - Longitarsus parvulus* (Paykull, 1799)
  - Longitarsus persimilis* Wollaston, 1860<sup>©</sup>
  - Longitarsus stragulatus pallidicollis* Wollaston, 1865<sup>©</sup>
  - Longitarsus strigicollis* Wollaston, 1864
  - Longitarsus vilis* Wollaston, 1864
  - Macrocoma divisa* (Wollaston, 1864)<sup>©</sup>
  - Macrocoma dubia* (Wollaston, 1864)<sup>©</sup>
  - Macrocoma latifrons* Lindberg, 1953<sup>©</sup>
  - Macrocoma obscuripes* (Wollaston, 1862)<sup>©</sup>
  - Macrocoma oromiana* Daccordi, 1978<sup>©</sup>
  - Macrocoma pelikani* Zoia, 2017<sup>©</sup>
  - Macrocoma splendens* Lindberg, 1950<sup>©</sup>
  - Macrocoma splendidula franzi* Palm, 1976<sup>©</sup>
  - Macrocoma splendidula palmaensis* Palm, 1977<sup>©</sup>
  - Macrocoma splendidula splendidula* (Woll., 1862)<sup>©</sup>
  - Mantura chrysanthemi chrysanthemi* (Koch, 1803)
  - Mimosestes mimosae* (Fabricius, 1781)
  - Monoxia obesula* Blake, 1939
  - Oulema duftschmidi* (Redtenbacher, 1874)
  - Oulema melanopus* (Linnaeus, 1761)
  - Oxylepus deflexicollis* (Boheman, 1862)
  - Pachnephorus tessellatus* (Duftschmid, 1825)
  - Phaedon menthae* Wollaston, 1864<sup>©</sup>
  - Phyllotreta gillerforsii* Biondi, 1991<sup>©</sup>
  - Phyllotreta nigripes nigripes* Fabricius, 1775
  - Phyllotreta procera* (Redtenbacher, 1849)
  - Phyllotreta rufitarsis* Allard, 1859
  - Phyllotreta variipennis aegyptiaca* Pic, 1911
  - Pseudopachimerina spinipes* (Erichson, 1833)
  - Psylliodes aemulans* Lindberg, 1953<sup>©</sup>
  - Psylliodes angusticeps* Israelson, 1980<sup>©</sup>
  - Psylliodes hospes* Wollaston, 1854
  - Psylliodes laurisilvae* Biondi, 1987<sup>©</sup>
  - Psylliodes maroccana* Heikertinger, 1916
  - Psylliodes stolidus* Wollaston, 1860<sup>©</sup>
  - Psylliodes vehemens* Heikertinger, 1916
  - Spermophagus lindbergorum* Decelle, 1975<sup>©</sup>
  - Sphaeroderma rubidum* (Graells, 1858)
  - Sphaeroderma testaceum* (Fabricius, 1775)
  - Stylosomus biplagiatus* Wollaston, 1864<sup>©</sup>
  - Trachymela sloanei* (Blackburn, 1879)
- Ciidae** (6)
- Atlantocis canariensis* Israelson, 1985<sup>©</sup>
  - Cis cucullatus* Wollaston, 1865<sup>©</sup>
  - Cis puncticollis* Wollaston, 1860
  - Octotemnus glabratus* (Mellié, 1848)
  - Octotemnus opacus* (Mellié, 1848)
  - Orthocis sagittiferus* (Israelson, 1980)<sup>©</sup>
- Clambidae** (3)
- Acalyptomerus* cf. *asiaticus* Crowson, 1979
  - Calyptomerus dubius* (Marsham, 1802)
  - Clambus minutus complicans* Wollaston, 1864

**Cleridae** (8)

- Canariclerus paivae* (Wollaston, 1862)<sup>Ⓞ</sup>
- Corynetinus fimetarius* (Wollaston, 1862)
- Denops albofasciatus* (Charpentier, 1825)
- Denops canariensis* Palm, 1978<sup>Ⓞ</sup>
- Necrobia ruficollis* (Fabricius, 1775)
- Necrobia rufipes* (DeGeer, 1775)
- Tarsostenus univittatus* (Rossi, 1792)
- Tillodenops bimaculatus* (Schenkling, 1899)

**Coccinellidae** (60)

- Adalia bipunctata* (Linnaeus, 1758)
- Adalia decempunctata* (Linnaeus, 1758)
- Adalia testudinea* (Wollaston, 1854)
- Cheilomenes propinqua* (Mulsant, 1850)
- Chilocorus bipustulatus* (Linnaeus, 1758)
- Chilocorus canariensis* Crotch, 1874<sup>Ⓞ</sup>
- Clitostethus arcuatus* (Rossi, 1794)
- Coccinella miranda* Wollaston, 1864
- Coccinella septempunctata algerica* Kovár, 1977
- Cryptolaemus montrouzieri* Mulsant, 1853
- Delphastus catalinae* (Horn, 1895)
- Delphastus pusillus* Leconte, 1852
- Diomus gillerforsi* Fürsch, 1987<sup>Ⓞ</sup>
- Diomus rubidus* (Motschulsky, 1837)
- Harmonia axyridis* (Pallas, 1773)
- Harmonia quadripunctata* (Pontoppidan, 1763)
- Hippodamia variegata* (Goeze, 1777)
- Hyperaspis vinciguerrae* Capra, 1929
- Myrrha octodecimguttata* (Linnaeus, 1758)
- Nephaspis bicolor* Gordon, 1982
- Nephus binotatus* (Brisout, 1863)
- Nephus bipunctatus* (Kugelann, 1794)
- Nephus bisignatus* (Boheman, 1850)
- Nephus conjunctus* Wollaston, 1870
- Nephus depressiusculus* (Wollaston, 1867)
- Nephus flavopictus* (Wollaston, 1854)
- Nephus helgae* (Fürsch, 1965)
- Nephus hiekei* Fürsch, 1965
- Nephus incisus* Lindberg, 1950
- Nephus nigricans* Weise, 1879
- Nephus reunioni* (Fürsch, 1974)
- Nephus ulbrichi* Fürsch, 1977
- Novius canariensis* Korschevsky, 1935<sup>Ⓞ</sup>
- Novius cardinalis* (Mulsant, 1850)
- Novius cruentatus* (Mulsant, 1846)
- Oenopia doublieri* (Mulsant, 1846)
- Olla v-nigrum* (Mulsant, 1866)
- Paraexochomus troberti* troberti Mulsant
- Paraxochomus bellus* (Wollaston, 1864)<sup>Ⓞ</sup>
- Paraxochomus nigripennis* (Erichson, 1843)
- Paraxochomus quadriplagiatus* (Wollaston, 1864)
- Pharoscymnus decemplagiatus* (Wollaston, 1857)
- Pharoscymnus flexibilis* (Mulsant, 1853)
- Rhyzobius litura* (Fabricius, 1787)
- Rhyzobius lophanthae* (Blaisdell, 1892)
- Rhyzobius teresae* Eizaguirre, 2007<sup>Ⓞ</sup>
- Scymnus canariensis* Wollaston, 1864
- Scymnus cercyonides* Wollaston, 1864<sup>Ⓞ</sup>

- Scymnus interruptus* (Goeze, 1777)
- Scymnus latemaculatus* Motschulsky, 1858
- Scymnus marinus* (Mulsant, 1850)
- Scymnus medanensis* Eizaguirre, 2007<sup>Ⓞ</sup>
- Scymnus nubilis* Mulsant, 1850
- Scymnus rubromaculatus* (Goeze, 1777)
- Scymnus subvillosus durantae* Wollaston, 1854
- Scymnus suffrianioides apetzoides* Capra & Fürsch, 1976
- Stethorus tenerifensis* Fürsch, 1987
- Stethorus wollastoni* Kapur, 1949
- Tetrabrachys deserticola* (Wollaston, 1864)
- Vibidia duodecimguttata* (Poda, 1761)

**Corylophidae** (12)

- Aposericoderus immigrans* Israelson, 1987
- Aposericoderus revelierei* (Reitter, 1878)
- Arthrolips convexiuscula* (Motschulsky, 1849)
- Arthrolips picea* (Comolli, 1837)
- Clypastraea brunnea* (Brisout de Barneville, 1863)
- Clypastraea palmi* Bowstead, 1999<sup>Ⓞ</sup>
- Microstagetus parvulus* Wollaston, 1861
- Orthoperus aequalis* Sharp, 1885
- Orthoperus nigrescens* Stephens, 1829
- Orthoperus pilosiusculus* Jacqueline du Val, 1857
- Sericoderus lateralis* (Gyllenhal, 1827)
- Teplinus matthewsi* (Reitter, 1885)

**Cryptophagidae** (30)

- Atomaria apicalis* Erichson, 1846
- Atomaria bulbosa* Wollaston, 1865<sup>Ⓞ</sup>
- Atomaria fasciata* Kolenati, 1846
- Atomaria laticollis* Wollaston, 1865<sup>Ⓞ</sup>
- Atomaria marginicollis* Reitter, 1887<sup>Ⓞ</sup>
- Atomaria munda* Erichson, 1846
- Atomaria palmi* Johnson, 1975<sup>Ⓞ</sup>
- Atomaria prolixa* Erichson, 1846
- Atomaria pusilla* (Paykull, 1798)
- Atomaria scutellaris* Motschulsky, 1849
- Atomaria venusta* Wollaston, 1865<sup>Ⓞ</sup>
- Caenoscelis tenerifensis* Johnson & Bowstead, 2003<sup>Ⓞ</sup>
- Cryptophagus angelinii* Otero, 2022<sup>Ⓞ</sup>
- Cryptophagus cellaris* (Scopoli, 1763)
- Cryptophagus dentatus* (Herbst, 1793)
- Cryptophagus distinguendus* Sturm, 1845
- Cryptophagus ellipticus* (Wollaston, 1864)<sup>Ⓞ</sup>
- Cryptophagus fusiformis* Wollaston, 1862<sup>Ⓞ</sup>
- Cryptophagus hupalupae* Israelson, 1985<sup>Ⓞ</sup>
- Cryptophagus impressus* Wollaston, 1865<sup>Ⓞ</sup>
- Cryptophagus laticollis* Lucas, 1849
- Cryptophagus oromii* Otero, 1989<sup>Ⓞ</sup>
- Cryptophagus saginatus* Sturm, 1845
- Cryptophagus versicolor* Lindberg, 1950<sup>Ⓞ</sup>
- Ephistemus globulus* (Paykull, 1798)
- Hypocoprus lathridioides* Motschulsky, 1839
- Micrambe hesperia* (Wollaston, 1863)<sup>Ⓞ</sup>
- Micrambe humboldti* Otero, 2023
- Micrambe occidentalis* (Wollaston, 1863)<sup>Ⓞ</sup>
- Micrambe ulicis* (Stephens, 1830)

**Cucujidae** (2)

- Caulonomus rhizophagoides* Wollaston, 1862<sup>©</sup>
- Pediacus tabellatus* Wollaston, 1864<sup>©</sup>

**Curculionidae** (605)

- Acalles globulipennis* Wollaston, 1854
- Acalles granulimaculosus* Stüben, 2015<sup>©</sup>
- Acalles pilula* Wollaston, 1864<sup>©</sup>
- Aeoniacalles aeonii aeonii* (Wollaston, 1864)<sup>©</sup>
- Aeoniacalles aeonii bodegensis* (Stüben, 2000)<sup>©</sup>
- Aeoniacalles aeonisimilis* (Stüben, 2000)<sup>©</sup>
- Aeoniacalles argillosus* (Boheman, 1837)<sup>©</sup>
- Aeoniacalles grancanariensis* (Stüben, 2000)<sup>©</sup>
- Aeoniacalles holochrysus* Stüben, 2022<sup>©</sup>
- Aeoniacalles tabladoensis* Stüben & Astrin, 2011<sup>©</sup>
- Alloplinthus musicus* (Wollaston, 1860)<sup>©</sup>
- Alloplinthus velutinus* (Wollaston, 1860)<sup>©</sup>
- Amaurorhinus bewickianus* (Wollaston, 1860)
- Amaurorhinus clermonti* Desbrochers, 1908
- Amaurorhinus minimus* Folwaczny, 1972<sup>©</sup>
- Amaurorhinus monizianus* (Wollaston, 1860)
- Amaurorhinus viti* Osella & Giusto, 1985<sup>©</sup>
- Anisorhynchus hespericus* Desbrochers des Loges, 1875
- Anthonomus rubi* (Herbst, 1795)
- Aphanarthrum aeonii* Lindberg, 1953<sup>©</sup>
- Aphanarthrum affine* Wollaston, 1860
- Aphanarthrum alluaudi* Peyerimhof, 1923
- Aphanarthrum armatum* Wollaston, 1862
- Aphanarthrum bicinctum bicinctum* Wollaston, 1860
- Aphanarthrum bicinctum obsitum* Wollaston, 1865<sup>©</sup>
- Aphanarthrum bicinctum vestitum* Wollaston, 1865<sup>©</sup>
- Aphanarthrum bicolor* Wollaston, 1860
- Aphanarthrum canariense canariense* Wollaston, 1860
- Aphanarthrum canariense neglectum* Schedl, 1964<sup>©</sup>
- Aphanarthrum canescens canescens* Wollaston, 1865<sup>©</sup>
- Aphanarthrum canescens polyspiniger* Isrl., 1972<sup>©</sup>
- Aphanarthrum canescens simplex* Wollaston, 1865<sup>©</sup>
- Aphanarthrum glabrum glabrum* Wollaston, 1860<sup>©</sup>
- Aphanarthrum glabrum nudum* Israelson, 1972<sup>©</sup>
- Aphanarthrum jubae jubae* Wollaston, 1860<sup>©</sup>
- Aphanarthrum jubae tuberculatum* Wollaston, 1865<sup>©</sup>
- Aphanarthrum luridum* Wollaston, 1860<sup>©</sup>
- Aphanarthrum mairei* Peyerimhof, 1923
- Aphanarthrum piscatorium* Wollaston, 1860
- Aphanarthrum pygmaeum* Wollaston, 1865<sup>©</sup>
- Aphanarthrum subglabrum* Israelson, 1972<sup>©</sup>
- Aphanarthrum wollastoni* Israelson, 1972<sup>©</sup>
- Aulacobaris coeruleascens* (Scopoli, 1763)
- Baezia aranfaybo* García et López, 2021<sup>©</sup>
- Baezia bimbache* García et López, 2007<sup>©</sup>
- Baezia litoralis* Alonso-Zarazaga & García, 1999<sup>©</sup>
- Baezia madai* García & Oromí, 2021<sup>©</sup>
- Baezia martini* García, 2003<sup>©</sup>
- Baezia tizziri* García & Andújar, 2021<sup>©</sup>
- Baezia vulcania* Alonso-Zarazaga & García, 2002<sup>©</sup>
- Bagous exilis* Jacquelin du Val, 1854
- Bagous monantiphagus*, Stüben 2010<sup>©</sup>
- Barretonus auarita* García & Oromí, 2019<sup>©</sup>
- Barretonus daute* García & Andújar, 2019<sup>©</sup>
- Blechnacalles xerampelinus* (Wollaston, 1864)<sup>©</sup>
- Brachycerus plicatus* Gyllenhal, 1833
- Brachyderes rugatus* Wollaston, 1864<sup>©</sup>
- Brachypera fallax* (Capiomont, 1863)
- Brachypera isabellina* (Boheman, 1834)
- Brachypera lunata* (Wollaston, 1854)
- Brachytemnus pinipotens* (Wollaston, 1867)<sup>©</sup>
- Cactophagus crenatus* (Gyllenhal, 1838)
- Calacalles affinis* Bahr, 2000<sup>©</sup>
- Calacalles atomarius* Bahr, 2000<sup>©</sup>
- Calacalles bandamaensis bandamaensis* Stüben, 2012<sup>©</sup>
- Calacalles bandamaensis longisetus* Stueben, 2022<sup>©</sup>
- Calacalles citvorator* Stüben, 2015<sup>©</sup>
- Calacalles exiguus* Bahr, 2000<sup>©</sup>
- Calacalles fuerteventurensis* Bahr, 2000<sup>©</sup>
- Calacalles guanarteme* Stueben 2022<sup>©</sup>
- Calacalles hermigua hermiguae* Stüben et Astrin, 2009<sup>©</sup>
- Calacalles hermigua teselinde* Stueben 2022<sup>©</sup>
- Calacalles lepensis* Stüben, 2013<sup>©</sup>
- Calacalles manriquei* Stüben, 2018<sup>©</sup>
- Calacalles minutus* Bahr, 2000<sup>©</sup>
- Calacalles montelunatus* Stüben, 2015<sup>©</sup>
- Calacalles mulagua* Stüben, 2010<sup>©</sup>
- Calacalles nataliae* Astrin et Stüben, 2009<sup>©</sup>
- Calacalles palmensis* Roudier, 1954<sup>©</sup>
- Calacalles pumilio* Bahr, 2000<sup>©</sup>
- Calacalles pusillus* Bahr, 2000<sup>©</sup>
- Calacalles seticollis* (Wollaston, 1864)<sup>©</sup>
- Calacalles zumpti* (Uyttenboogaart, 1939)<sup>©</sup>
- Canariacalles alluaudi alluaudi* (Uytt., 1940)<sup>©</sup>
- Canariacalles alluaudi haraldi* (Roudier, 1954)<sup>©</sup>
- Canariacalles lanzarotensis* (Stüben, 2000)<sup>©</sup>
- Cathormiocerus maderae* Wollaston, 1854
- Caulophilus oryzae* (Gyllenhal, 1838)
- Ceutorhynchus castroi* García & López, 2019<sup>©</sup>
- Ceutorhynchus crassiuscula* Krátky, 2025<sup>©</sup>
- Ceutorhynchus descourainiae* Stüben, 2016<sup>©</sup>
- Ceutorhynchus jucundus* Colonnelli 2005<sup>©</sup>
- Ceutorhynchus pallidactylus* (Marsham, 1802)
- Ceutorhynchus paroliniae* Krátky, 2016<sup>©</sup>
- Ceutorhynchus pyrhorhynchus canariensis* Lind., 1950<sup>©</sup>
- Ceutorhynchus tenoensis* García, López & Aguiar, 2021<sup>©</sup>
- Chaetoptelius vestitus* (Mulsant & Rey, 1860)
- Charagmus cachectus* Gyllenhal, 1834
- Charagmus gressorius* (Fabricius, 1775)
- Charagmus variegatus* Fåhraeus, 1840
- Cionus canariensis* Uyttenboogaart, 1935<sup>©</sup>
- Cionus griseus* Lindberg, 1958<sup>©</sup>
- Cionus variegatus* (Brullé 1839)<sup>©</sup>
- Cisurgus pusillus* (Wollaston, 1860)
- Coccotrypes carpophagus* (Hornung, 1842)
- Coccotrypes dactyliperda* (Fabricius, 1801)
- Coelositona garajonay garajonay* Stüben, 2022<sup>©</sup>
- Coelositona garajonay grancanaria* Stüben, 2022<sup>©</sup>
- Coelositona ocellatus* (Küster, 1849)
- Coelositona palmensis* (Lindberg, 1953)<sup>©</sup>
- Coelositona puberulus* (Reitter, 1903)
- Coelositona verrucosus* (Brullé, 1839)<sup>©</sup>
- Coniatus deyrollei* (Capiomont, 1868)

- Coniocleonus excoriatus* (Gyllenhal, 1834)  
 *Coniocleonus variolosus* (Wollaston, 1864)  
 *Cosmopolites sordidus* (Germar, 1824)  
 *Crypturgus concolor* (Wollaston, 1864)<sup>©</sup>  
 *Cycloderes obesulus* (Wollaston, 1864)<sup>©</sup>  
 *Cyphocleonus armitagei* (Wollaston, 1864)  
 *Cyphocleonus garajonay* Stüben, 2020<sup>©</sup>  
 *Cyphocleonus sventeniusi* (Roudier, 1957)<sup>©</sup>  
 *Dactylotrypes longicollis* (Wollaston, 1864)  
 *Datonychus maurus* (Schultze, 1899)  
 *Datonychus melanosticus* (Marsham, 1802)  
 *Dendroacalles brevitarsis* (Wollaston, 1864)<sup>©</sup>  
 *Dendroacalles euphorbiacus* (Stüben, 2000)<sup>©</sup>  
 *Dendroacalles fortunatus fortunatus* (Woll., 1864)<sup>©</sup>  
 *Dendroacalles fortunatus garajonay* Stüben 2022<sup>©</sup>  
 *Dendroacalles poneli* (Stüben, 2000)<sup>©</sup>  
 *Dendroacalles ruteri* (Roudier, 1954)<sup>©</sup>  
 *Dendroacalles sigma* (Wollaston, 1864)<sup>©</sup>  
 *Derelomus piriformis* (Hoffmann, 1938)  
 *Deropria elongata* (Eggers, 1927)<sup>©</sup>  
 *Diaprepes abbreviatus* (Linneo, 1758)  
 *Dichromacalles dromedarius* (Boheman, 1844)  
 *Diocalandra frumenti* (Fabricius, 1801)  
 *Donus austerus* (Boheman, 1834)  
 *Dryocoetes villosus minor* Eggers, 1908  
 *Eccoopterus spinosus* (Olivier, 1800)  
 *Echinodera angulipennis* Wollaston, 1864<sup>©</sup>  
 *Echinodera compacta* Wollaston, 1864<sup>©</sup>  
 *Echinodera crenata* Wollaston, 1863<sup>©</sup>  
 *Echinodera guacimara* Stüben & Germann, 2005<sup>©</sup>  
 *Echinodera hystrix benahoarita* Stüben, 2000<sup>©</sup>  
 *Echinodera hystrix hystrix* Wollaston, 1864<sup>©</sup>  
 *Echinodera jandiaensis* Stüben, 2018<sup>©</sup>  
 *Echinodera kratkyi* Stüben, 2018<sup>©</sup>  
 *Echinodera montana* Stüben & Astrin, 2010<sup>©</sup>  
 *Echinodera orbiculata* Wollaston, 1864<sup>©</sup>  
 *Echinodera palmaensis* Stüben, 2000<sup>©</sup>  
 *Echinodera personata* Colonnelli, 1985<sup>©</sup>  
 *Echinodera picta* Wollaston, 1864<sup>©</sup>  
 *Echinodera pseudohystrix* Stüben, 2000<sup>©</sup>  
 *Echinodera tenoensis* Stüben, 2000<sup>©</sup>  
 *Echiumacalles anagaensis* (Stüben, 2000)<sup>©</sup>  
 *Entomoderus brevitarsis* (Wollaston, 1864)<sup>©</sup>  
 *Entomoderus lanzarotensis* Stüben, 2023  
 *Ficusacalles ficvator* (Stüben, 2007)<sup>©</sup>  
 *Ficusacalles senilis* (Wollaston, 1864)<sup>©</sup>  
 *Gonipterus platensis* Marelli, 1926  
 *Graptus alternans* (Wollaston, 1865)<sup>©</sup>  
 *Graptus magnificus* (Wollaston, 1864)<sup>©</sup>  
 *Gronops fasciatus* Küster, 1851  
 *Gronops luctuosus* Chevrolat, 1861  
 *Gronops lunatus* (Fabricius, 1775)  
 *Herpisticus aridicola* Machado, 2020<sup>©</sup>  
 *Herpisticus betancuriae* Machado, 2020<sup>©</sup>  
 *Herpisticus bobadillae* Machado, 2020<sup>©</sup>  
 *Herpisticus calvus* Wollaston, 1864<sup>©</sup>  
 *Herpisticus daute* Machado, 2020<sup>©</sup>  
 *Herpisticus denudatus* Machado, 2020<sup>©</sup>  
 *Herpisticus famarae* Machado, 2020<sup>©</sup>  
 *Herpisticus gigas* Machado, 2020<sup>©</sup>  
 *Herpisticus gomerensis* Machado, 2020<sup>©</sup>  
 *Herpisticus guanarteme* Machado, 2020<sup>©</sup>  
 *Herpisticus guayarmina* Machado, 2020<sup>©</sup>  
 *Herpisticus hierrensis benahoare* Machado, 2010<sup>©</sup>  
 *Herpisticus hierrensis hierrensis* Franz, 1979<sup>©</sup>  
 *Herpisticus hispidus* Machado, 2020<sup>©</sup>  
 *Herpisticus jandiensis* Machado, 2020<sup>©</sup>  
 *Herpisticus laesicollis* Germar, 1824<sup>©</sup>  
 *Herpisticus lanatus* Wollaston, 1864<sup>©</sup>  
 *Herpisticus nanus* Machado, 2020<sup>©</sup>  
 *Herpisticus oculatus* Wollaston, 1864<sup>©</sup>  
 *Herpisticus rectipes* Machado, 2020<sup>©</sup>  
 *Herpisticus scopulus* Machado, 2020<sup>©</sup>  
 *Herpisticus subvestitus grancanariensis* Palm, 1974<sup>©</sup>  
 *Herpisticus subvestitus pseudolanatus* Mach., 2020<sup>©</sup>  
 *Herpisticus subvestitus subvestitus* Wollaston, 1864<sup>©</sup>  
 *Herpisticus tasarticus* Machado, 2020<sup>©</sup>  
 *Hesperorrhynchus hesperus* (Wollaston, 1864)<sup>©</sup>  
 *Hesperorrhynchus incautus* Colonnelli, 1992<sup>©</sup>  
 *Hesperorrhynchus palmensis* Krátky, 2016<sup>©</sup>  
 *Hesperorrhynchus phytobioides* (Wollaston, 1864)<sup>©</sup>  
 *Hylastes attenuatus* Erichson, 1836  
 *Hylastes linearis* Erichson, 1836  
 *Hylastes lowei* Paiva, 1861<sup>©</sup>  
 *Hylastinus obscurus* (Marsham, 1802)  
 *Hylesinus varius* (Fabricius, 1775)  
 *Hylurgus ligniperda* (Fabricius, 1792)  
 *Hypera melancholica* Fabricius, 1792  
 *Hypera nigrirostris* (Fabricius, 1775)  
 *Hypera ononidis* (Chevrolat, 1863)  
 *Hypera postica* (Gyllenhal, 1813)  
 *Hypoborus ficus* Erichson, 1836  
 *Hypolixus pica* (Fabricius, 1798)  
 *Hypothenemus eruditus* (Westwood, 1834)  
 *Hypurus bertrandi* (Perris, 1852)  
 *Ita gratiosa* Meregalli & Borovec, 2011<sup>©</sup>  
 *Laparocerus abona* Machado, 2016<sup>©</sup>  
 *Laparocerus acutipennis* Machado, 2007<sup>©</sup>  
 *Laparocerus acyphus* Machado, 2009<sup>©</sup>  
 *Laparocerus aeneotinctus aeneotinctus* Mach., 2009<sup>©</sup>  
 *Laparocerus aeneotinctus femoralis* Machado, 2009<sup>©</sup>  
 *Laparocerus aethiops aethiops* Wollaston, 1864<sup>©</sup>  
 *Laparocerus aethiops garajonay* Machado, 2007<sup>©</sup>  
 *Laparocerus aguiari* Machado, 2007<sup>©</sup>  
 *Laparocerus alluaudi* Uyttenboogaart, 1940<sup>©</sup>  
 *Laparocerus amicorum* Machado, 2009<sup>©</sup>  
 *Laparocerus amplificatus* (Wollaston, 1865)<sup>©</sup>  
 *Laparocerus anagae* Machado, 2015<sup>©</sup>  
 *Laparocerus anisomorphus* Machado, 2021<sup>©</sup>  
 *Laparocerus anniversarius* Machado, 2012<sup>©</sup>  
 *Laparocerus arcanus* Machado, 2012<sup>©</sup>  
 *Laparocerus arrochai* Machado, 2009<sup>©</sup>  
 *Laparocerus astralis* Machado, 2009<sup>©</sup>  
 *Laparocerus auarita* Machado, 2016<sup>©</sup>  
 *Laparocerus auctus* Wollaston, 1864<sup>©</sup>  
 *Laparocerus aytamis* Machado, 2012<sup>©</sup>  
 *Laparocerus bacalladoi* Machado, 2005<sup>©</sup>  
 *Laparocerus bellus* Roudier, 1957<sup>©</sup>

- Laparocerus benchijigua* Machado, 2007<sup>©</sup>
- Laparocerus bentejui bentejui* Machado, 2012<sup>©</sup>
- Laparocerus bentejui delicatulus* Machado, 2012<sup>©</sup>
- Laparocerus bentejui robustus* Machado, 2012<sup>©</sup>
- Laparocerus bimbache* Machado, 2011<sup>©</sup>
- Laparocerus bolivari* Uyttenboogaart, 1937<sup>©</sup>
- Laparocerus boticarius* Machado, 2007<sup>©</sup>
- Laparocerus brunneus* Lindberg, 1953<sup>©</sup>
- Laparocerus buccatrix* (Wollaston, 1865)<sup>©</sup>
- Laparocerus buenavistae* Roudier, 1957<sup>©</sup>
- Laparocerus calvus* Machado, 2011<sup>©</sup>
- Laparocerus campestris campestris* Machado, 2015<sup>©</sup>
- Laparocerus campestris garafianus* Machado, 2021<sup>©</sup>
- Laparocerus canariensis* Boheman, 1842<sup>©</sup>
- Laparocerus canutus* Machado, 2021<sup>©</sup>
- Laparocerus cavernarius* Machado, 2011<sup>©</sup>
- Laparocerus cephalotes* Machado, 2011<sup>©</sup>
- Laparocerus chasnensis* Machado, 2007<sup>©</sup>
- Laparocerus chinijo* Machado, 2021<sup>©</sup>
- Laparocerus colonnellii* Machado, 2011<sup>©</sup>
- Laparocerus combrecitensis* Roudier, 1957<sup>©</sup>
- Laparocerus compactus* Wollaston, 1864<sup>©</sup>
- Laparocerus confusus* Machado, 2011<sup>©</sup>
- Laparocerus crassifrons* Wollaston, 1863<sup>©</sup>
- Laparocerus crassirostris* Wollaston, 1864<sup>©</sup>
- Laparocerus crassus* Roudier, 1957<sup>©</sup>
- Laparocerus cristatus* Machado, 2009<sup>©</sup>
- Laparocerus crotchi* Machado, 2016<sup>©</sup>
- Laparocerus curvipes curvipes* Lindberg, 1950<sup>©</sup>
- Laparocerus curvipes espanoli* Roudier, 1954<sup>©</sup>
- Laparocerus curvipes famarae* Machado, 2011<sup>©</sup>
- Laparocerus dacilae* García, 1998<sup>©</sup>
- Laparocerus debilis* Wollaston, 1865<sup>©</sup>
- Laparocerus decipiens* Machado, 2009<sup>©</sup>
- Laparocerus depilis* Roudier, 1957<sup>©</sup>
- Laparocerus depressus* Machado, 2007<sup>©</sup>
- Laparocerus dilutus* Machado, 2015<sup>©</sup>
- Laparocerus dispar* Wollaston, 1864<sup>©</sup>
- Laparocerus dissidens dissidens* Machado, 2012<sup>©</sup>
- Laparocerus dissidens spolonifer* Machado, 2021<sup>©</sup>
- Laparocerus dissimilis alticola* Machado, 2016<sup>©</sup>
- Laparocerus dissimilis dissimilis* Lindberg, 1950<sup>©</sup>
- Laparocerus dissimilis infernalis* Machado, 2016<sup>©</sup>
- Laparocerus edaphicus* Machado, 2008<sup>©</sup>
- Laparocerus eliasenae* (Uyttenboogaart, 1929)<sup>©</sup>
- Laparocerus ellipticus* Wollaston, 1863<sup>©</sup>
- Laparocerus elongatus denudatus* Machado, 2021<sup>©</sup>
- Laparocerus elongatus elongatus* Machado, 2009<sup>©</sup>
- Laparocerus elongatus mucronatus* Machado, 2009<sup>©</sup>
- Laparocerus escaleraorum* Uyttenboogaart, 1937<sup>©</sup>
- Laparocerus estevezi* Machado, 2012<sup>©</sup>
- Laparocerus excavatus excavatus* Wollaston, 1863<sup>©</sup>
- Laparocerus excavatus prosenemus* Machado, 2021<sup>©</sup>
- Laparocerus exiguus* Machado, 2007<sup>©</sup>
- Laparocerus exophthalmus cisti* Machado, 2021<sup>©</sup>
- Laparocerus exophthalmus exophthalmus* Mach., 2007<sup>©</sup>
- Laparocerus federico* Machado, 2018<sup>©</sup>
- Laparocerus feloi* Machado, 2009<sup>©</sup>
- Laparocerus fernandezi* Roudier, 1957<sup>©</sup>
- Laparocerus franzi* Machado, 2012<sup>©</sup>
- Laparocerus fraterculus* Machado, 2011<sup>©</sup>
- Laparocerus fraudulentus* Machado, 2012<sup>©</sup>
- Laparocerus freyi canescens* Machado, 2016<sup>©</sup>
- Laparocerus freyi freyi* Uyttenboogaart, 1940<sup>©</sup>
- Laparocerus freyi punctiger* Machado, 2016<sup>©</sup>
- Laparocerus freyi vicarius* Machado, 2021<sup>©</sup>
- Laparocerus gerodes* Machado, 2016<sup>©</sup>
- Laparocerus gomerensis* Lindberg, 1953<sup>©</sup>
- Laparocerus gracilis* Wollaston, 1864<sup>©</sup>
- Laparocerus grayanus* (Wollaston, 1865)<sup>©</sup>
- Laparocerus grossepunctatus* Wollaston, 1864<sup>©</sup>
- Laparocerus hadrocerus* Machado, 2021<sup>©</sup>
- Laparocerus heres heres* Machado, 2007<sup>©</sup>
- Laparocerus heres jocoensis* Machado, 2007<sup>©</sup>
- Laparocerus humeralis* Machado, 2007<sup>©</sup>
- Laparocerus hupalupa furtivus* Machado, 2021<sup>©</sup>
- Laparocerus hupalupa hupalupa* Machado, 2007<sup>©</sup>
- Laparocerus hypogeus* Machado, 2011<sup>©</sup>
- Laparocerus hystrioides* Machado, 2012<sup>©</sup>
- Laparocerus idafe* García & Alonso-Zarazaga, 2011<sup>©</sup>
- Laparocerus impressicollis* Wollaston, 1864<sup>©</sup>
- Laparocerus inaequalis globulipennis* Wollaston, 1864<sup>©</sup>
- Laparocerus inaequalis hirtus* Wollaston, 1864<sup>©</sup>
- Laparocerus inaequalis inaequalis* Wollaston, 1863<sup>©</sup>
- Laparocerus incomptus* (Wollaston, 1865)<sup>©</sup>
- Laparocerus inconspectus* Roudier, 1957<sup>©</sup>
- Laparocerus indutus* Wollaston, 1865<sup>©</sup>
- Laparocerus inermis inermis* Machado, 2007<sup>©</sup>
- Laparocerus inermis majonae* Machado, 2021<sup>©</sup>
- Laparocerus inflatus* Wollaston, 1865<sup>©</sup>
- Laparocerus iruene* Machado & García, 2010<sup>©</sup>
- Laparocerus juelensis eremita* Machado, 2021<sup>©</sup>
- Laparocerus juelensis juelensis* Machado, 2011<sup>©</sup>
- Laparocerus junonius* Machado, 2007<sup>©</sup>
- Laparocerus laevis* Roudier, 1957<sup>©</sup>
- Laparocerus lepidopterus lepidopterus* Woll., 1864<sup>©</sup>
- Laparocerus lepidopterus pecoudi* Roudier, 1957<sup>©</sup>
- Laparocerus longiclava* Lindberg, 1953<sup>©</sup>
- Laparocerus longipennis* Machado, 2011<sup>©</sup>
- Laparocerus lopezi* Machado, 2008<sup>©</sup>
- Laparocerus machadoi* García & González, 2006<sup>©</sup>
- Laparocerus macilentus* Machado, 2015<sup>©</sup>
- Laparocerus magnificus* Machado, 2011<sup>©</sup>
- Laparocerus marmoratus* Machado, 2012<sup>©</sup>
- Laparocerus mateui mateui* Roudier, 1954<sup>©</sup>
- Laparocerus mateui tuberosus* Machado, 2011<sup>©</sup>
- Laparocerus maxorata* Machado, 2011<sup>©</sup>
- Laparocerus mendicus* Wollaston, 1864<sup>©</sup>
- Laparocerus merigensis* Machado, 2015<sup>©</sup>
- Laparocerus microphthalmus* Lindberg, 1950<sup>©</sup>
- Laparocerus morrisi* Machado, 2009<sup>©</sup>
- Laparocerus moyanus* Machado, 2021<sup>©</sup>
- Laparocerus mulagua* Machado, 2007<sup>©</sup>
- Laparocerus notatus* Machado, 2015<sup>©</sup>
- Laparocerus obscurus daute* Machado, 2016<sup>©</sup>
- Laparocerus obscurus obscurus* Wollaston, 1864<sup>©</sup>
- Laparocerus obsitus* Wollaston, 1864<sup>©</sup>
- Laparocerus obtriangularis* Wollaston, 1864<sup>©</sup>

- Laparocerus occidentalis* Wollaston, 1864<sup>©</sup>  
 *Laparocerus oculatissimus* Machado, 2007<sup>©</sup>  
 *Laparocerus ornatus* Machado, 2012<sup>©</sup>  
 *Laparocerus oronii* Machado, 2008<sup>©</sup>  
 *Laparocerus orone aridane* Machado, 2009<sup>©</sup>  
 *Laparocerus orone hierrensis* Machado, 2011<sup>©</sup>  
 *Laparocerus orone orone* Machado, 2007<sup>©</sup>  
 *Laparocerus osorio* Machado, 2012<sup>©</sup>  
 *Laparocerus palmensis* Lindberg, 1953<sup>©</sup>  
 *Laparocerus persimilis* Wollaston, 1864<sup>©</sup>  
 *Laparocerus pilosiventris* Machado, 2011<sup>©</sup>  
 *Laparocerus pitys* Machado, 2021<sup>©</sup>  
 *Laparocerus propinquus* Lindberg, 1953<sup>©</sup>  
 *Laparocerus puncticollis* Wollaston, 1864<sup>©</sup>  
 *Laparocerus quadratus* Machado, 2015<sup>©</sup>  
 *Laparocerus rasmus betancor* Machado, 2011<sup>©</sup>  
 *Laparocerus rasmus jandiensis* Machado, 2011<sup>©</sup>  
 *Laparocerus rasmus rasmus* Wollaston, 1864<sup>©</sup>  
 *Laparocerus reptans* Machado, 2021<sup>©</sup>  
 *Laparocerus rotundatus* Machado, 2011<sup>©</sup>  
 *Laparocerus roudieri* Machado, 2007<sup>©</sup>  
 *Laparocerus rugosicollis* Uyttenboogaart, 1937<sup>©</sup>  
 *Laparocerus rugosivertex* Machado, 2012<sup>©</sup>  
 *Laparocerus ruteri* Roudier, 1957<sup>©</sup>  
 *Laparocerus sanchezi arures* Machado, 2016<sup>©</sup>  
 *Laparocerus sanchezi sanchezi* Roudier, 1957<sup>©</sup>  
 *Laparocerus sanctaecrucis* Machado, 2016<sup>©</sup>  
 *Laparocerus scapularis* Wollaston, 1864<sup>©</sup>  
 *Laparocerus scitulus* Machado, 2021<sup>©</sup>  
 *Laparocerus sculptipennis montivagans* Mach., 2013<sup>©</sup>  
 *Laparocerus sculptipennis sculptipennis* Woll., 1864<sup>©</sup>  
 *Laparocerus sculptus* (Brullé, 1839)<sup>©</sup>  
 *Laparocerus seminitens* Lindberg, 1950<sup>©</sup>  
 *Laparocerus semipilosus* Machado, 2012<sup>©</sup>  
 *Laparocerus separandus* Lindberg, 1953<sup>©</sup>  
 *Laparocerus seriesetosus* Wollaston, 1864<sup>©</sup>  
 *Laparocerus sonchiphagus* Machado, 2015<sup>©</sup>  
 *Laparocerus soniae* Machado, 2016<sup>©</sup>  
 *Laparocerus spinimanus* Machado, 2007<sup>©</sup>  
 *Laparocerus squamosus* (Brullé, 1839)<sup>©</sup>  
 *Laparocerus subcalvus* Wollaston, 1864<sup>©</sup>  
 *Laparocerus subnebulosus* (Wollaston, 1864)<sup>©</sup>  
 *Laparocerus subnodosus* Wollaston, 1864<sup>©</sup>  
 *Laparocerus subopacus divergens* Machado, 2021<sup>©</sup>  
 *Laparocerus subopacus subopacus* Wollaston, 1865<sup>©</sup>  
 *Laparocerus subparallelus* Machado, 2007<sup>©</sup>  
 *Laparocerus sulcirostris* Wollaston, 1864<sup>©</sup>  
 *Laparocerus supranubius* Machado, 2009<sup>©</sup>  
 *Laparocerus tafadensis* Machado, 2016<sup>©</sup>  
 *Laparocerus tanausu* Machado, 2009<sup>©</sup>  
 *Laparocerus tarsalis* Machado, 2009<sup>©</sup>  
 *Laparocerus tasarticus* Machado, 2012<sup>©</sup>  
 *Laparocerus tauce* Machado, 2016<sup>©</sup>  
 *Laparocerus teldensis* Machado, 2012<sup>©</sup>  
 *Laparocerus tenellus* Wollaston, 1864<sup>©</sup>  
 *Laparocerus tenicola* Machado, 2015<sup>©</sup>  
 *Laparocerus tenuepunctatus commixtus* Mach., 2021<sup>©</sup>  
 *Laparocerus tenuepunctatus oppositus* Mach., 2016<sup>©</sup>  
 *Laparocerus t. tenuepunctatus* Roudier, 1957<sup>©</sup>  
 *Laparocerus teselinde* Machado, 2015<sup>©</sup>  
 *Laparocerus tessellatus* (Brullé, 1839)<sup>©</sup>  
 *Laparocerus tesserula* Wollaston, 1864<sup>©</sup>  
 *Laparocerus tetricus* (Boheman, 1834)<sup>©</sup>  
 *Laparocerus tibialis isorae* Machado, 2021<sup>©</sup>  
 *Laparocerus tibialis tibialis* (Wollaston, 1864)<sup>©</sup>  
 *Laparocerus tinguaro tabornoii* Machado, 2016<sup>©</sup>  
 *Laparocerus tinguaro tinguaro* Machado, 2007<sup>©</sup>  
 *Laparocerus tirajana* Machado, 2012<sup>©</sup>  
 *Laparocerus tirmensis* Machado, 2012<sup>©</sup>  
 *Laparocerus transversus* Lindberg, 1950<sup>©</sup>  
 *Laparocerus undatus* Wollaston, 1864<sup>©</sup>  
 *Laparocerus uyttenboogaarti* (Zumpt, 1940)<sup>©</sup>  
 *Laparocerus valleii* Machado, 2021<sup>©</sup>  
 *Laparocerus vestitus* Wollaston, 1864<sup>©</sup>  
 *Laparocerus vicinus* Lindberg, 1953<sup>©</sup>  
 *Laparocerus xericola* Machado, 2011<sup>©</sup>  
 *Laparocerus zarazagai criniger* Machado, 2021<sup>©</sup>  
 *Laparocerus zarazagai subreflexus* Mach., & Gcía, 2010<sup>©</sup>  
 *Laparocerus zarazagai zarazagai* García & Oromí, 1997<sup>©</sup>  
 *Larinus carlinaphilus* Stüben, 2022<sup>©</sup>  
 *Larinus ochreatus* (Olivier, 1807)  
 *Lauriacalles acutus* (Wollaston, 1864)<sup>©</sup>  
 *Leiosoma apionides* (Wollaston, 1864)<sup>©</sup>  
 *Lindbergius curtus* Roudier, 1957<sup>©</sup>  
 *Liparthrum artemisiae* Wollaston, 1854  
 *Liparthrum bicaudatum* Wollaston, 1865<sup>©</sup>  
 *Liparthrum bituberculatum* Wollaston, 1854  
 *Liparthrum canum* Israelson, 1990<sup>©</sup>  
 *Liparthrum curtum* Wollaston, 1854  
 *Liparthrum inarmatum* Wollaston, 1860  
 *Liparthrum lowei* Wollaston, 1862  
 *Liparthrum mandibulare* Wollaston, 1854  
 *Liparthrum nigrescens* Wollaston, 1865  
 *Listroderes difficilis* Germain, 1895  
 *Lixus anguinus* (Linnaeus, 1767)  
 *Lixus brevirostris* Boheman, 1835  
 *Lixus erysimi* Stüben & Behne, 2013<sup>©</sup>  
 *Lixus filiformis* (Fabricius, 1781)  
 *Lixus juncii* Boheman, 1835  
 *Lixus linearis* Olivier, 1807  
 *Lixus machadoi* Krátký, Stüben & Turner, 2023<sup>©</sup>  
 *Lixus pinkeri* Voss, 1965<sup>©</sup>  
 *Lixus pulverulentus* (Scopoli, 1763)  
 *Lixus purpurariensis* Stüben, 2022<sup>©</sup>  
 *Lixus scabricollis* Boheman, 1842  
 *Lixus tibiellus* Desbrochers des Loges, 1904  
 *Macrobrachonyx gounellei* Pic, 1902<sup>©</sup>  
 *Malvaevora timida* (Rossi, 1792)  
 *Mecinus barbarus* Gyllenhal, 1838  
 *Mecinus circulatus* (Marsham, 1802)  
 *Mecinus labilis* (Herbst, 1795)  
 *Mecinus pascuorum* (Gyllenhal, 1813)  
 *Mecinus tychioides* Brisout, 1862  
 *Mecinus variabilis* (Rosenhauer, 1856)  
 *Melaleucus sellatus* (Boheman, 1844)  
 *Melanobaris quadraticollis quadraticollis* (Boh., 1836)  
 *Mesites ater* Lindberg, 1950<sup>©</sup>  
 *Mesites fusiformis* Wollaston, 1861<sup>©</sup>

- Mesites hozmani* Folwaczny, 1984<sup>©</sup>
- Mesites jubae* Uyttenboogaart, 1940<sup>©</sup>
- Mesites mimoides* Voss, 1934<sup>©</sup>
- Mesites nitidicollis* Stüben, 2022<sup>©</sup>
- Mesites pubipennis* Wollaston, 1861<sup>©</sup>
- Micrehus ferrugatus* (Perris, 1847)
- Microlarinus eliasenae* Marshall, 1928<sup>©</sup>
- Microplontus campestris* (Gyll., 1837)
- Mogulones biondii* Colonnelli, 1990<sup>©</sup>
- Mogulones deiectus* Colonnelli, 1992<sup>©</sup>
- Mogulones pseudopollinarius* (Lindberg, 1950)<sup>©</sup>
- Moreiba ariadnae* Mach. & Alonso-Zarazaga, 2020<sup>©</sup>
- Moreiba canariensis canariensis* (Franz, 1995)<sup>©</sup>
- Moreiba canariensis casanova* García & Aguiar, 2024<sup>©</sup>
- Moreiba c. auarita* Mach. & Alonso-Zarazaga, 2020<sup>©</sup>
- Moreiba c. nivariana* Mach. & Alonso-Zarazaga, 2020<sup>©</sup>
- Moreiba c. tamarana* Mach. & Alonso-Zarazaga, 2020<sup>©</sup>
- Moreiba lancerota* Machado & Alonso-Zarazaga, 2020<sup>©</sup>
- Moreiba mariae mariae* Mach. & Alonso-Zar., 2020<sup>©</sup>
- Moreiba mariae oromiana* Mach. & Alonso-Zar., 2020<sup>©</sup>
- Moreiba maxorata* Machado & Alonso-Zarazaga, 2020<sup>©</sup>
- Naupactus cervinus* Boheman, 1840
- Onycholips bifurcatus* Wollaston, 1861<sup>©</sup>
- Onyxacalles neglectus* Kulbe, 1999<sup>©</sup>
- Onyxacalles ringeli* Kulbe, 1999<sup>©</sup>
- Onyxacalles verrucosus* (Wollaston, 1863)<sup>©</sup>
- Oromia aguiari* Alonso-Zarazaga, 1990<sup>©</sup>
- Oromia hephaestos* Alonso-Zarazaga, 1987<sup>©</sup>
- Oromia orahan* García & Oromí, 2020<sup>©</sup>
- Oromia thoracica* Machado & López, 2015<sup>©</sup>
- Orthotomicus nobilis* (Wollaston, 1862)<sup>©</sup>
- Otiorhynchus cribricollis* Gyllenhal, 1834
- Pachytychius aridicola* (Wollaston, 1864)
- Pagiocerus frontalis* (Fabricius, 1801)
- Parethelcus dentipes* (Israelson, 1980)<sup>©</sup>
- Pentatemnus arenarius arenarius* Wollaston, 1861
- Pentatemnus arenarius pierrei* Roudier, 1954
- Philernus farinosus* (Gebler, 1829)
- Phloeosinus aubei* (Perris, 1855)
- Phloeosinus gillerforsi* Bright, 1987
- Phloeosinus thujae thujae* (Perris, 1860)
- Phloeotribus cristatus* (Fauvel, 1889)
- Phloeotribus scarabaeoides* (Bernard, 1788)
- Pissodes castaneus* (DeGeer, 1775)
- Premnobius ambitiosus* (Schaufuss, 1897)
- Procas armillatus* (Fabricius, 1801)
- Proeces reticulatus* (Roudier, 1957)<sup>©</sup>
- Pselactus affinis* (Wollaston, 1861)<sup>©</sup>
- Pselactus caulium* (Wollaston, 1861)<sup>©</sup>
- Pselactus lauri* (Uyttenboogaart, 1929)<sup>©</sup>
- Pselactus laurineus* (Wollaston, 1861)<sup>©</sup>
- Pselactus piceus piceus* (Wollaston, 1861)<sup>©</sup>
- Pselactus piceus subparallelus* (Wollaston, 1861)<sup>©</sup>
- Pselactus simplicipes* (Wollaston, 1861)<sup>©</sup>
- Pselactus variipennis* Folwaczny, 1971<sup>©</sup>
- Pseudodichromacalles fernandezi* (Roudier, 1954)<sup>©</sup>
- Pseudodichromacalles pericallis* Stüben, 2018<sup>©</sup>
- Pseudophloeophagus truncorum* (Stephens, 1831)
- Pteleobius kraatzii* (Eichhoff, 1864)
- Pycnodactylopsis t. tomentosa* (Fähræus, 1842)
- Rhinocyllus conicus* Fröhlich, 1792
- Rhopalomesites complanatus* (Wollaston, 1861)<sup>©</sup>
- Rhopalomesites persimilis* (Wollaston, 1861)<sup>©</sup>
- Rhopalomesites proximus* (Wollaston, 1861)<sup>©</sup>
- Rhynchophorus ferrugineus* (Olivier, 1790)
- Rhyncolus crassicornis* (Brullé 1839)<sup>©</sup>
- Rhytideres plicatus* (Olivier, 1790)
- Romualdius angustisetulus* (Hansen, 1915)
- Scolytoplatypus africanus* (Eggers, 1927)
- Scolytus amygdali* Guérin-Ménéville, 1847
- Sibinia albosquamosa* Pic, 1904
- Sibinia arenariae* (Stephens, 1831)
- Sibinia femoralis* Germar, 1823
- Sibinia p. planiuscula* Desbrochers des Loges, 1873
- Silvacalles carlinavorus* Stüben & Schütte, 2014<sup>©</sup>
- Silvacalles cedroensis* (Kulbe, 2000)<sup>©</sup>
- Silvacalles gomerensis* Stüben, 2022<sup>©</sup>
- Silvacalles hakani hakani* (Roudier, 1954)<sup>©</sup>
- Silvacalles hakani tagasaste* (Stüben, 2000)<sup>©</sup>
- Silvacalles instabilis* (Wollaston, 1864)<sup>©</sup>
- Silvacalles lepidus* (Kulbe, 2000)<sup>©</sup>
- Silvacalles mundus* (Wollaston, 1864)<sup>©</sup>
- Silvacalles nubilosus* (Wollaston, 1864)<sup>©</sup>
- Silvacalles pedestris* (Stüben, 2000)<sup>©</sup>
- Silvacalles spinosus* Stüben, 2018<sup>©</sup>
- Silvacalles tolpivorus* (Germann & Stüben, 2006)<sup>©</sup>
- Sirocalodes lapalmaensis* (Voss, 1965)<sup>©</sup>
- Sitona brachypterus* Israelson, 1980<sup>©</sup>
- Sitona cinnamomeus* Allard, 1863
- Sitona discoideus* Gyllenhal, 1834
- Sitona lineatus* (Linnaeus, 1758)
- Sitona macularius macularius* (Marsham, 1802)
- Sitona obsoletus obsoletus* (Gmelin, 1790)
- Sitophilus granarius* (Linnaeus, 1758)
- Sitophilus linearis* (Herbst, 1795)
- Sitophilus oryzae* (Linnaeus, 1763)
- Sitophilus zeamais* Motschulsky, 1855
- Smicronyx albosquamosus* Wollaston, 1854
- Smicronyx pauperculus* Wollaston, 1864
- Sonchiacalles muelleri* Stüben, 2000<sup>©</sup>
- Sonchiacalles silosensis* (Stüben, 2000)<sup>©</sup>
- Sonchiacalles sonchi* (Stüben, 2000)<sup>©</sup>
- Sphenophorus meridionalis* Gyllenhal, 1838
- Sphenophorus placidus placidus* (Say, 1832)
- Stenopelmus rufinasus* Gyllenhal, 1835
- Stereonychus rufobrunneus* (Lindberg, 1953)<sup>©</sup>
- Strophomorphus porcellus* (Schönherr, 1832)
- Styphloderes lindbergi* Roudier, 1963
- Styphloderes maxorata* Stüben, 2023<sup>©</sup>
- Temnorhinus brevirostris* (Gyllenhal, 1834)
- Temnorhinus mixtus* (Fabricius, 1792)
- Thamiocolus garajonay* (Stüben & Schütte, 2014)<sup>©</sup>
- Thamiocolus grancanariensis* Stüben & Schütte, 2014<sup>©</sup>
- Thamiocolus wollastoni* (Uyttenboogaart, 1930)<sup>©</sup>
- Tomicus piniperda* (Linnaeus, 1758)
- Torneuma alexi* Stüben, 2018<sup>©</sup>
- Torneuma aphroditae* (Germann & Stüben, 2006)<sup>©</sup>
- Torneuma canariense* G. & P. Osella, 1986<sup>©</sup>

- Torneuma feloi* (Stüben, 2007)<sup>©</sup>
- Torneuma franzi* (González, 1971)<sup>©</sup>
- Torneuma lindrothi* (Franz, 1981)<sup>©</sup>
- Torneuma orbatum* (Wollaston, 1865)<sup>©</sup>
- Torneuma solarii* Osella & Pogliano, 1986<sup>©</sup>
- Torneuma viti* G. & P. Osella, 1986<sup>©</sup>
- Trachyphloeus laticollis* Boheman, 1843
- Trachyphloeus spinimanus* Germar, 1824
- Triotemnus subretusus* Wollaston, 1864
- Tychius argentatus* Chevrolat, 1859
- Tychius atlanticus* Stüben, 2022<sup>©</sup>
- Tychius bicolor* Brisout de Barneville, 1862
- Tychius colonnellii* Caldara, 1991<sup>©</sup>
- Tychius conspersus* Rosenhauer, 1856
- Tychius depauperatus* Wollaston, 1864
- Tychius elongatulus* Desbrochers des Loges, 1897
- Tychius stephensi* Schönherr, 1836
- Tychius striatulus* Gyllenhal, 1836
- Xyleborinus saxeseni* (Ratzeburg, 1837)
- Xyleborus perforans* (Wollaston, 1857)
- Xylosandrus compactus* (Eichhoff, 1876)

**Dasytidae** (14)

- Aplocnemus grancanariensis* (Lindberg, 1953)<sup>©</sup>
- Aplocnemus sculpturatus* (Wollaston, 1862)<sup>©</sup>
- Aplocnemus vestitus* (Wollaston, 1862)
- Dasytes alticola* Palm, 1974<sup>©</sup>
- Dasytes canariensis* Lindberg, 1950<sup>©</sup>
- Dasytes dispar* Wollaston, 1862<sup>©</sup>
- Dasytes inexpectata* Palm, 1974<sup>©</sup>
- Dasytes israelsoni* Palm, 1974<sup>©</sup>
- Dasytes lanzarotensis* Palm, 1974<sup>©</sup>
- Dasytes subaenescens* Wollaston, 1862<sup>©</sup>
- Dolichophron hartungi* (Wollaston, 1862)<sup>©</sup>
- Gietella fortunata* Constantin & Menier, 1987<sup>©</sup>
- Psilothrix illustris* (Wollaston, 1854)
- Psilothrix viridicoerulea* (Geoffroy, 1785)

**Dermestidae** (36)

- Anthrenus coloratus* Reitter, 1881
- Anthrenus fuscus* (Olivier, 1789)
- Anthrenus minor* Wollaston, 1864
- Anthrenus museorum* (Linnaeus, 1761)
- Anthrenus verbasci* (Linnaeus, 1767)
- Attagenus abbreviatus* Heer, 1857<sup>©</sup>
- Attagenus anthrenoides* (Wollaston, 1864)<sup>©</sup>
- Attagenus brunneus* Faldermann, 1835
- Attagenus multifasciatus* (Wollaston, 1863)<sup>©</sup>
- Attagenus schaefferi schaefferi* (Herbst, 1791)
- Attagenus unicolor unicolor* (Brahm, 1790)
- Attagenus wollastoni* Mroczkowsky, 1964<sup>©</sup>
- Dermestes ater* DeGeer, 1774
- Dermestes frischii* Kugelann, 1792
- Dermestes maculatus* DeGeer, 1774
- Dermestes murinus murinus* Linnaeus, 1758
- Dermestes peruvianus* Laporte, 1840
- Dermestes undulatus* Brahm, 1790
- Evorinea canarica* Háva & Klejdysz, 2025<sup>©</sup>
- Thorictus canariensis* Wollaston, 1862<sup>©</sup>

- Thorictus cobosi* John & Andreae, 1967<sup>©</sup>
- Thorictus deviedmai* John, 1965<sup>©</sup>
- Thorictus eiselti* Háva, 2019<sup>©</sup>
- Thorictus franzi* John, 1967<sup>©</sup>
- Thorictus gigas* Wollaston, 1862<sup>©</sup>
- Thorictus helleri* John, 1963<sup>©</sup>
- Thorictus iriae* García & López, 2024<sup>©</sup>
- Thorictus lindbergi* John, 1963<sup>©</sup>
- Thorictus palmensis* Háva & Krásenský, 2015<sup>©</sup>
- Thorictus subpusillus* John, 1965<sup>©</sup>
- Thorictus tamadabanus* John, 1964<sup>©</sup>
- Thorictus tejedanus* John & Andreae, 1967<sup>©</sup>
- Thorictus tenerifanus* John, 1965<sup>©</sup>
- Thorictus vestitus* Wollaston, 1864<sup>©</sup>
- Thorictus wollastoni* John, 1963<sup>©</sup>
- Trogoderma inclusum* LeConte, 1854

**Dryopidae** (1)

- Dryops gracilis* (Karsch, 1881)

**Dytiscidae** (22)

- Agabus biguttatus* (Olivier, 1795)
- Agabus conspersus* (Marsham, 1802)
- Agabus nebulosus* (Forster, 1771)
- Bidessus minutissimus* (Germar, 1824)
- Cybister tripunctatus africanus* Lap. de Castelnau, 1835
- Eretes sticticus* (Linnaeus, 1767)
- Graptodytes delectus* (Wollaston, 1864)<sup>©</sup>
- Hydroglyphus angularis* (Klug, 1834)
- Hydroporus compunctus* Wollaston, 1865<sup>©</sup>
- Hydroporus errans* Sharp, 1882<sup>©</sup>
- Hydroporus lucasi* Reiche, 1866
- Hydroporus pilosus* (Guignot, 1949)<sup>©</sup>
- Hygrotus confluens* (Fabricius, 1787)
- Hygrotus musicus* (Klug, 1834)
- Hyphydrus maculatus* Babington, 1841
- Laccophilus hyalinus* (De Geer, 1774)
- Meladema coriacea* Laporte de Castelnau, 1835
- Meladema imbricata* (Wollaston, 1871)<sup>©</sup>
- Nebrioporus canariensis* (Bedel, 1881)<sup>©</sup>
- Nebrioporus ceresyi* (Aubé, 1836)
- Nebrioporus clarkii* (Wollaston, 1862)
- Stictonectes canariensis* Machado, 1987<sup>©</sup>

**Elateridae** (53)

- Agriotes sordidus* (Illiger, 1807)
- Coptostethus abora* (Wurst & Caté, 1994)<sup>©</sup>
- Coptostethus arozarenai* (Cobos, 1970)<sup>©</sup>
- Coptostethus attilai* Németh & Platia 2014<sup>©</sup>
- Coptostethus auarita* (Liberto & Wurst, 1999)<sup>©</sup>
- Coptostethus bonitaensis* Platia, 2015<sup>©</sup>
- Coptostethus brunneipennis* Wollaston, 1863<sup>©</sup>
- Coptostethus buci* Németh & Platia, 2014<sup>©</sup>
- Coptostethus cabrerai* (Cobos, 1970)<sup>©</sup>
- Coptostethus canariensis* Wollaston, 1858<sup>©</sup>
- Coptostethus cobosi* Douglas & Kundrata, 2018<sup>©</sup>
- Coptostethus cobossanchezi* (Díaz & Sánchez, 2002)<sup>©</sup>
- Coptostethus crassiusculus* Wollaston, 1864<sup>©</sup>
- Coptostethus divergens* (Cobos, 1983)<sup>©</sup>

- Coptostethus eggeri* Platia, 2015<sup>©</sup>
- Coptostethus fernandezi* (Cobos, 1970)<sup>©</sup>
- Coptostethus globulicollis* Wollaston, 1862<sup>©</sup>
- Coptostethus gomerensis* (Cobos, 1970)<sup>©</sup>
- Coptostethus gracilis* Wollaston, 1864<sup>©</sup>
- Coptostethus guanche* (Cobos, 1970)<sup>©</sup>
- Coptostethus guayote* (Wurst & Caté, 1994)<sup>©</sup>
- Coptostethus hayeki* (Cobos, 1970)<sup>©</sup>
- Coptostethus hierrensis* (Franz, 1980)<sup>©</sup>
- Coptostethus konvickai* Platia, 2021<sup>©</sup>
- Coptostethus kundratai* Németh & Platia, 2014<sup>©</sup>
- Coptostethus lindbergi* (Cobos, 1970)<sup>©</sup>
- Coptostethus longicornis* Lindberg, 1953<sup>©</sup>
- Coptostethus machadoi* (Cobos, 1983)<sup>©</sup>
- Coptostethus mantici* Platia, 2016<sup>©</sup>
- Coptostethus mateui* (Cobos, 1970)<sup>©</sup>
- Coptostethus mendizabali* (Cobos, 1970)<sup>©</sup>
- Coptostethus minutus* Lindberg, 1950<sup>©</sup>
- Coptostethus nemethi* Platia, 2015<sup>©</sup>
- Coptostethus obscurus* Wollaston, 1863<sup>©</sup>
- Coptostethus obtusus* Wollaston, 1864<sup>©</sup>
- Coptostethus opaculus* Platia, 2015<sup>©</sup>
- Coptostethus palmensis* (Cobos, 1970)<sup>©</sup>
- Coptostethus petterssoni* Platia, 2015<sup>©</sup>
- Coptostethus platai* (Cobos, 1979)<sup>©</sup>
- Coptostethus salvatoi* Platia, 2015<sup>©</sup>
- Coptostethus skoupyi* Platia, 2015<sup>©</sup>
- Coptostethus taylora* (Cobos, 1970)<sup>©</sup>
- Coptostethus vestitus* Lindberg, 1950<sup>©</sup>
- Coptostethus vilaflorensis* Platia, 2015<sup>©</sup>
- Coptostethus vittatus* Lindberg, 1953<sup>©</sup>
- Coptostethus wollastoni* (Cobos, 1970)<sup>©</sup>
- Drasterius bimaculatus* (Rossi, 1790)
- Heteroderes algerinus* (Lucas, 1846)
- Heteroderes vagus* Candeze, 1893
- Malacogaster tilloides* Wollaston, 1864<sup>©</sup>
- Melanotus dichrous dichrous* (Erichson, 1821)
- Monocrepidius posticus* (Eschscholtz, 1829)

**Endomychidae** (13)

- Dapsa edentata* Wollaston, 1864<sup>©</sup>
- Dapsa grancanariensis* Palm, 1974<sup>©</sup>
- Dapsa palmaensis* Franz, 1979<sup>©</sup>
- Holopamecus bertouti* Aubé, 1861
- Holopamecus caularum* (Aubé, 1843)
- Holopamecus niger* (Aubé, 1843)
- Holopamecus singularis* (Becker, 1817)
- Lycoperdina canariensis* Gillerfors, 1991<sup>©</sup>
- Lycoperdina gomeræ* Franz, 1979<sup>©</sup>
- Lycoperdina humeralis* Wollaston, 1864<sup>©</sup>
- Lycoperdina sanchezi* Oromí & García, 1987<sup>©</sup>
- Mycetaea subterranea* (Fabricius, 1801)
- Symbiotes gibberosus* (Lucas, 1849)

**Erotylidae** (2)

- Xestus fungicola* Wollaston, 1865<sup>©</sup>
- Xestus throscoides* Wollaston, 1864<sup>©</sup>

**Eucinetidae** (1)

- Nycteus wollastoni* Vít, 1999<sup>©</sup>

**Eucnemidae** (1)

- Anelastes barbarus* Lucas, 1846

**Gyrinidae** (3)

- Aulonogyrus striatus* (Fabricius, 1792)
- Gyrinus dejeani* Brullé, 1832
- Gyrinus urinator* Illiger, 1807

**Haliplidae** (1)

- Haliplus lineatocollis* (Marshall, 1802)

**Helophoridae** (1)

- Helophorus longitarsis* Wollaston, 1864

**Histeridae** (46)

- Acritus analis* Le Conte, 1853
- Acritus nigricornis* (Hoffman, 1803)
- Aeletes gemmula* (Wollaston, 1865)<sup>©</sup>
- Aeletes oromii* Yélamos, 1995<sup>©</sup>
- Atholus bimaculatus* (Linnaeus, 1758)
- Canarinus demaisonii* (Desbordes, 1920)<sup>©</sup>
- Carcinops pumilio* (Erichson, 1834)
- Carcinops troglodytes* (Paykull, 1811)
- Eubrachium ovale* Wollaston, 1862
- Eubrachium politum* Wollaston, 1862<sup>©</sup>
- Eubrachium punctatum* Wollaston, 1862<sup>©</sup>
- Eutriptus putricola* Wollaston, 1862
- Exaesiopus grossipes* (Marseul, 1855)
- Gnathoncus rotundatus* (Kugelann, 1792)
- Halacritus punctum punctum* (Aubé, 1842)
- Hister canariensis* Wollaston, 1864<sup>©</sup>
- Hololepta perraudieri* Marseul, 1857<sup>©</sup>
- Hypocacculus angulosus* (Wollaston, 1864)<sup>©</sup>
- Hypocacculus ascendens* Reichart, 1932
- Hypocacculus canariensis* Théron, 1966<sup>©</sup>
- Hypocacculus metallescens* (Erichson, 1834)
- Hypocacculus praecox* (Erichson, 1834)
- Hypocacculus solieri* (Marseul, 1862)
- Hypocaccus brasiliensis* (Paykull, 1811)
- Hypocaccus dimidiatus dimidiatus* (Illiger, 1807)
- Hypocaccus erosus* (Wollaston, 1864)<sup>©</sup>
- Hypocaccus mundus* (Wollaston, 1864)<sup>©</sup>
- Kissister minimus* Aubé, 1850
- Microsaprinus bonnairii* Fairmaire, 1884
- Pactolinus major* (Linnaeus, 1766)
- Paromalus luderti* Marseul, 1862
- Saprinus beduinus* Marseul, 1862
- Saprinus caerulescens* Hoffmann, 1803
- Saprinus chalcites* (Illiger, 1807)
- Saprinus figuratus* Marseul, 1855
- Saprinus moyses* Marseul, 1862
- Saprinus nobilis* Wollaston, 1864<sup>©</sup>
- Saprinus pharao* Marseul, 1855
- Saprinus planiusculus* Motschulsky, 1849
- Saprinus proximus proximus* Wollaston, 1864<sup>©</sup>
- Saprinus proximus simillimus* Wollaston, 1865

- Saprinus semistriatus* (Scriba, 1790)
- Saprinus subnitescens* Bickhardt, 1909
- Saprinus tenuistrius sparsutus* Solsky, 1867
- Teretrius cylindricus* Wollaston, 1864<sup>©</sup>
- Xenonychus tridens* (DuVal, 1853)

#### Hydraenidae (17)

- Hydraena quadricollis* Wollaston, 1864
- Hydraena serricollis* Wollaston, 1864<sup>©</sup>
- Limnebius canariensis* Orchymont, 1938<sup>©</sup>
- Limnebius gracilipes* Wollaston, 1864<sup>©</sup>
- Limnebius punctatus* Wollaston, 1864<sup>©</sup>
- Limnebius similis* Wollaston, 1865<sup>©</sup>
- Ochthebius anzar* Villastrigo, Hernando, Millán & Ribera, 2020
- Ochthebius bifoveolatus* Waltl, 1835
- Ochthebius* cf. *thermalis*
- Ochthebius heeri* (Wollaston, 1854)
- Ochthebius lanthanus* Ribera & Foster, 2018<sup>©</sup>
- Ochthebius lapidicola* Wollaston, 1864<sup>©</sup>
- Ochthebius quadrioveolatus* Wollaston, 1857
- Ochthebius rugulosus* Wollaston, 1857
- Ochthebius salinator* Peyerimhoff, 1924
- Ochthebius subpictus* Wollaston, 1857
- Ochthebius tivelunus* Ferro, 1984

#### Hydrochidae (1)

- Hydrochus grandicollis* Kiesenwetter, 1870

#### Hydrophilidae (20)

- Anacaena haemorrhoea* (Wollaston, 1864)<sup>©</sup>
- Berosus hispanicus* Küster, 1847
- Cercyon arenarius* Rey, 1885
- Cercyon deserticola* Fikáček, Gentili & Short, 2010
- Cercyon inquinatus* Wollaston, 1854
- Cercyon lateralis* (Marsham, 1802)
- Cercyon obsoletus* Gyllenhal, 1808
- Cercyon quisquilius* (Linnaeus, 1761)
- Cercyon terminatus* (Marsham, 1802)
- Chaetarthria similis* Wollaston, 1864
- Coelostoma hispanicum* (Küster, 1848)
- Dactylosternum abdominale* (Fabricius, 1792)
- Enochrus bicolor* (Fabricius, 1792)
- Enochrus politus* (Küster, 1849)
- Helochaeres lividus* (Forster, 1771)
- Laccobius atrocephalus canariensis* Orchymont, 1940<sup>©</sup>
- Laccobius praecipuus* Kuwert, 1890
- Pachysternum capense* (Mulsant, 1844)
- Paracymus relaxus* Rey, 1884
- Sphaeridium marginatum* Fabricius 1787

#### Jacobsoniidae (1)

- Derolathrus anophthalmus* (Franz, 1969)<sup>©</sup>

#### Kateretidae (5)

- Brachypterus aeneomicans* Wollaston, 1865<sup>©</sup>
- Brachypterus curtulus* Wollaston, 1864
- Brachypterus longimanus* (Wollaston, 1864)<sup>©</sup>

- Brachypterus velatus* Wollaston, 1863<sup>©</sup>
- Brachypterus viridinitens* Lindberg, 1950<sup>©</sup>

#### Laemophloeidae (4)

- Cryptolestes capensis* (Waltl, 1834)
- Cryptolestes ferrugineus* (Stephens, 1831)
- Cryptolestes pusillus* (Schönherr, 1817)
- Placonotus granulatus* (Wollaston, 1864)

#### Languriidae (6)

- Cryptophilus integer* (Heer, 1838)
- Leucohimatium arundinaceum* (Forskål, 1875)
- Setariola sericea* (Mulsant & Rey, 1863)
- Toramus pulchellus* (LeConte, 1863)
- Xenoscelis deplanatus* (Wollaston, 1862)<sup>©</sup>
- Xenoscelis lauricola* Israelson, 1980<sup>©</sup>

#### Latridiidae (30)

- Cartodere nodifer* (Westwood, 1839)
- Corticaria alticola* Lindberg, 1953<sup>©</sup>
- Corticaria appenhageni* Uyttenboogaart, 1930<sup>©</sup>
- Corticaria canariensis* Johnson, 1974<sup>©</sup>
- Corticaria fulva* (Comolli, 1837)
- Corticaria hierroensis* Johnson, 1985<sup>©</sup>
- Corticaria inconspicua* Wollaston, 1860
- Corticaria leileri* Johnson, 1985<sup>©</sup>
- Corticaria maculosa lineata* Johnson, 1974<sup>©</sup>
- Corticaria maculosa maculosa* Wollaston, 1858
- Corticaria pinetorum* Reike, 2023<sup>©</sup>
- Corticaria pubescens* (Gyllenhal, 1827)
- Corticaria serrata* (Paykull, 1798)
- Corticaria umbilicata* (Beck, 1817)
- Corticarina curta* (Wollaston, 1854)
- Corticarina delicatula* (Wollaston, 1871)<sup>©</sup>
- Dienerella pilifera* (Reitter, 1875)
- Dienerella ruficollis* (Marsham, 1802)
- Enicmus testaceus* (Stephens, 1830)
- Latridius canariensis* (Palm, 1972)<sup>©</sup>
- Melanophthalma angulata* (Wollaston, 1864)
- Melanophthalma fuscipennis* (Mannerheim, 1844)
- Metophthalmus encaustus* Wollaston, 1865<sup>©</sup>
- Metophthalmus ferrugineus* Wollaston, 1865
- Metophthalmus fulvus* Reike & Rucker, 2010<sup>©</sup>
- Metophthalmus obscurus* Reike & Rucker, 2010<sup>©</sup>
- Metophthalmus sculpturatus* Wollaston, 1862
- Migneauxia crassiuscula* (Aubé, 1850)
- Migneauxia phili* Johnson, 2007
- Stephostethus productus* (Rosenhauer, 1856)

#### Leiodidae (19)

- Agathidium bertii* Angelini & de Marzo, 1984<sup>©</sup>
- Agathidium canariense canariense* Lindberg, 1950<sup>©</sup>
- Agathidium canariense holdhausi* Hlisenkovsky, 1964<sup>©</sup>
- Agathidium globulum* Wollaston, 1864<sup>©</sup>
- Agathidium gomerense* Angelini & de Marzo, 1984<sup>©</sup>
- Agathidium integricolle* Wollaston, 1864<sup>©</sup>
- Agathidium laevigatum meridianum* Hlisenik., 1964
- Agathidium lindbergi* Palm, 1975<sup>©</sup>

- Agathidium palmense* Franz, 1984<sup>©</sup>
- Agathidium petrowskyi* Angelini, 2002<sup>©</sup>
- Catops antoniomachadoi* Palm, 1975<sup>©</sup>
- Catops thurepalmi* Szymczakowski, 1975<sup>©</sup>
- Chobautiella anisotomoides* (Fairmaire, 1876)
- Leiodes canariensis* (Wollaston, 1863)<sup>©</sup>
- Leiodes oceanica* (Wollaston, 1864)<sup>©</sup>
- Nargus alluaudi* Jeannel, 1936<sup>©</sup>
- Nargus pinicola* (Wollaston, 1865)<sup>©</sup>
- Nargus putridus* (Wollaston, 1864)<sup>©</sup>
- Pseudotriarthron thurepalmi* (Israelson, 1978)<sup>©</sup>

**Malachiidae** (81)

- Attalus acusae* Evers, 1988<sup>©</sup>
- Attalus aenescens* Wollaston, 1862<sup>©</sup>
- Attalus aldeae* Evers, 1961<sup>©</sup>
- Attalus anagaensis* Evers, 1961<sup>©</sup>
- Attalus angustifrons* (Wollaston, 1862)<sup>©</sup>
- Attalus anthicoides* Wollaston, 1862<sup>©</sup>
- Attalus bandamae* Evers, 1961<sup>©</sup>
- Attalus betancuriensis* Evers, 1960<sup>©</sup>
- Attalus bisculpturatus* Wollaston, 1862<sup>©</sup>
- Attalus bobadillae* Evers, 1960<sup>©</sup>
- Attalus chrysanthemi* Wollaston, 1862<sup>©</sup>
- Attalus coeruleipennis* Lindberg, 1950<sup>©</sup>
- Attalus columbi* Evers, 1960<sup>©</sup>
- Attalus commixtus* Wollaston, 1862<sup>©</sup>
- Attalus crispus* Lindberg, 1953<sup>©</sup>
- Attalus euphorbiae* Escalera, 1921<sup>©</sup>
- Attalus eversi* Plata, 1987<sup>©</sup>
- Attalus felix* Evers, 1971<sup>©</sup>
- Attalus fernandesi* Evers, 1961<sup>©</sup>
- Attalus fortunatus* Evers, 1971<sup>©</sup>
- Attalus gomerensis* Evers, 1961<sup>©</sup>
- Attalus guanche* Evers, 1988<sup>©</sup>
- Attalus hariensis* Evers, 1960<sup>©</sup>
- Attalus insuetus* Evers, 1960<sup>©</sup>
- Attalus laevicollis* Wollaston, 1862
- Attalus luctuosus* Lindberg, 1953<sup>©</sup>
- Attalus makarios* Evers, 1971<sup>©</sup>
- Attalus mascae* Evers, 1961<sup>©</sup>
- Attalus monticola* Evers, 1961<sup>©</sup>
- Attalus obscurus* Wollaston, 1862<sup>©</sup>
- Attalus ochraceus* Lindberg, 1950<sup>©</sup>
- Attalus olivensis* Evers, 1960<sup>©</sup>
- Attalus ornatissimus* Wollaston, 1862<sup>©</sup>
- Attalus ovatipennis* Wollaston, 1862<sup>©</sup>
- Attalus paelex* Evers, 1991<sup>©</sup>
- Attalus pallidior* Escalera, 1921<sup>©</sup>
- Attalus pallipes* Wollaston, 1864<sup>©</sup>
- Attalus palmensis* Lindberg, 1950<sup>©</sup>
- Attalus panurgus* Evers, 1991<sup>©</sup>
- Attalus pardoalcaldei* Plata, 1990<sup>©</sup>
- Attalus pauperculus* Wollaston, 1862
- Attalus pellucidus* (Wollaston, 1854)<sup>©</sup>
- Attalus pini* Evers, 1971<sup>©</sup>
- Attalus plocamae* Evers, 1961<sup>©</sup>
- Attalus propinquus* Evers, 1988<sup>©</sup>
- Attalus ruficollis* Wollaston, 1862<sup>©</sup>

- Attalus rugifrons* Wollaston, 1862<sup>©</sup>
- Attalus salviae* Evers, 1991<sup>©</sup>
- Attalus scitulus* (Wollaston, 1864)<sup>©</sup>
- Attalus subaenescens* Escalera, 1921<sup>©</sup>
- Attalus subopacus* Wollaston, 1862<sup>©</sup>
- Attalus tuberculatus* Wollaston, 1862<sup>©</sup>
- Cephalogonia autumnalis* Evers, 1986<sup>©</sup>
- Cephalogonia cerasina* (Wollaston, 1862)<sup>©</sup>
- Cephalogonia fortunata* Evers, 1986<sup>©</sup>
- Cephalogonia gautardi* (Abeille de Perrin, 1881)<sup>©</sup>
- Cephalogonia satanas* Escalera, 1921<sup>©</sup>
- Cephalogonia scurra* Evers, 1986<sup>©</sup>
- Cephaloncus capito* Westwood, 1863<sup>©</sup>
- Cephaloncus capitulo* Evers, 1986<sup>©</sup>
- Cephaloncus laureatus* Evers & Plata, 1990<sup>©</sup>
- Cephaloncus lindbergi* Evers, 1961<sup>©</sup>
- Cephaloncus palmensis* García & Evers, 1997<sup>©</sup>
- Colotes alutaceus* (Wollaston, 1862)<sup>©</sup>
- Colotes punctatus* (Erichson, 1840)
- Fortunatius canariensis* (Lindberg, 1953)<sup>©</sup>
- Fortunatius chamaeleon adejensis* (Evers, 1961)<sup>©</sup>
- Fortunatius chamaeleon chamaeleon* (Escalera, 1921)<sup>©</sup>
- Fortunatius jubilatus* Evers, 1971<sup>©</sup>
- Fortunatius jucundus* (Wollaston, 1862)<sup>©</sup>
- Fortunatius laurisilvae* Evers, 1988<sup>©</sup>
- Fortunatius lozanocaboi* Plata, 1990<sup>©</sup>
- Fortunatius mencey* Evers, 1971<sup>©</sup>
- Fortunatius metallicus* (Wollaston, 1862)<sup>©</sup>
- Fortunatius posticus* (Wollaston, 1862)<sup>©</sup>
- Fortunatius sparsepubens* (Wittmer, 1940)<sup>©</sup>
- Fortunatius subextinctus* Evers, 1990<sup>©</sup>
- Ifnidius faicani* García & López, 2014<sup>©</sup>
- Ifnidius govantesi* García & Oromí, 2014<sup>©</sup>
- Ifnidius petricola* Plata, 1987<sup>©</sup>
- Transvestitus infernalis* (Evers, 1961)<sup>©</sup>

**Meloidae** (10)

- Eurymeloe fernandesi* (Pardo, 1951)<sup>©</sup>
- Eurymeloe flavicomus* (Wollaston, 1854)
- Eurymeloe mediterraneus* (Müller, 1925)
- Eurymeloe sahariensis* (Chobaut, 1898)
- Eurymeloe tuccia tuccia* (Rossi, 1792)
- Meloe aegyptius subcyaneus* Wollaston, 1864<sup>©</sup>
- Mesomeloe coelatus* (Reiche & Sauley, 1857)
- Sitaris solieri solieri* Pecchioli., 1839
- Sitarobrachys thoracica* (Kraatz, 1862)
- Stenoria canariensis* (Pic, 1902)<sup>©</sup>

**Melyridae** (3)

- Melyrosoma costipenne* Wollaston, 1862<sup>©</sup>
- Melyrosoma flavescens* Wollaston, 1862<sup>©</sup>
- Melyrosoma hirtum* Wollaston, 1862<sup>©</sup>

**Monotomidae** (11)

- Europs duplicatus* Wollaston, 1862<sup>©</sup>
- Europs impressicollis hierroensis* Palm, 1975<sup>©</sup>
- Europs impressicollis impressicollis* Wollaston, 1854
- Europs impressicollis palmensis* Palm, 1975<sup>©</sup>
- Monotoma bicolor* Villa & Villa, 1835

- Monotoma longicollis* Gyllenhal, 1827
- Monotoma picipes* Herbst, 1793
- Monotoma quadrifoveolata* Aubé, 1837
- Monotoma spinicollis* Aubé, 1837
- Rhizophagus depressus* (Fabricius, 1792)
- Rhizophagus ferrugineus* (Paykull, 1800)

**Mordellidae** (8)

- Mordella comptei* Plaza, 1977<sup>©</sup>
- Mordella israelsoni* Plaza, 1977<sup>©</sup>
- Mordellistena aureomicans* Ermisch, 1965<sup>©</sup>
- Mordellistena canariensis* Ermisch, 1965<sup>©</sup>
- Mordellistena eversi* Ermisch, 1965<sup>©</sup>
- Mordellistena fernandesi* Palm, 1976<sup>©</sup>
- Mordellistena sericata* Wollaston, 1864<sup>©</sup>
- Mordellistena teneriffensis* Ermisch, 1965<sup>©</sup>

**Mycetophagidae** (4)

- Litargus balteatus* LeConte, 1856
- Litargus coloratus* Rosenhauer, 1856
- Litargus connexus* (Geoffroy, 1785)
- Typhaea stercorea* (Linnaeus, 1759)

**Nitidulidae** (37)

- Acanthogethes hercules* Audisio, 1986<sup>©</sup>
- Afrogethes canariensis* (Kirejtshuk, 1997)<sup>©</sup>
- Amphotis martini* Brisout, 1878
- Amphotis orientalis* Reiche, 1861
- Braassicogethes aeneus* (Fabricius, 1775)
- Carpophilus bifenestratus* Murray, 1864
- Carpophilus dimidiatus* (Fabricius, 1792)
- Carpophilus hemipterus* (Linnaeus, 1758)
- Carpophilus ligneus* Murray, 1864
- Carpophilus marginellus* Motschulsky, 1858
- Carpophilus mutilatus* Erichson, 1843
- Carpophilus nepos* Murray, 1864
- Carpophilus quadrisignatus* Erichson, 1843
- Cybocephalus canariensis* Endrody-Younga, 1968<sup>©</sup>
- Cybocephalus metallicus* (Baudi, 1870)
- Cybocephalus sphaerula* (Wollaston, 1854)
- Cybocephalus wollastoni* Lindberg, 1950
- Epuraea imperialis* (Reitter, 1877)
- Epuraea luteola* Erichson, 1843
- Epuraea ocularis* (Fairmaire, 1849)
- Epuraea unicolor* (Olivier, 1790)
- Fabogethes varicollis* (Wollaston, 1854)
- Hierronius angulosus* Endrody-Younga, 1968<sup>©</sup>
- Hierronius laevis* (Wollaston, 1864)<sup>©</sup>
- Hierronius nanus* Endrody-Younga, 1968<sup>©</sup>
- Lobiopa insularis* (Castelnau, 1840)
- Meligethes ruficornis* (Marsham, 1802)
- Nitidula carnaria* (Schaller, 1783)
- Nitidula flavomaculata* Rossi, 1890
- Omosita discoidea* (Fabricius, 1775)
- Paleogethes wollastoni* (Easton, 1950)<sup>©</sup>
- Pastillodes agathidioides* (Peyerimhof, 1927)
- Pria dulcamarae* (Scopoli, 1763)
- Urophorus humeralis* (Fabricius, 1798)
- Xenostrogylus canariensis* Wollaston, 1854<sup>©</sup>

- Xenostrogylus titanus* Audisio, 1986<sup>©</sup>
- Xenostrogylus truncatus* Kiesenwetter, 1870

**Oedemeridae** (12)

- Alloxantha fernandesi* Svihla, 1996<sup>©</sup>
- Alloxantha fulva* (Wollaston, 1854)
- Alloxantha lutea* Seidlitz, 1899<sup>©</sup>
- Alloxantha machadoi* Vázquez, 2024<sup>©</sup>
- Alloxantha novellae* Vázquez, 2002<sup>©</sup>
- Alloxantha ochracea* Seidlitz, 1899<sup>©</sup>
- Alloxantha seidlitzii* Svihla, 1988<sup>©</sup>
- Alloxantha wollastoni* Svihla, 1988<sup>©</sup>
- Chitona suturalis* (Olivier, 1811)
- Nacertes melanura* (Linnaeus, 1767)
- Nacerochroa concolor* (Brullé 1839)<sup>©</sup>
- Oedemera nobilis* (Scopoli, 1763)

**Phalacridae** (6)

- Olibrus congener* Wollaston, 1864<sup>©</sup>
- Olibrus florum* Wollaston, 1864<sup>©</sup>
- Olibrus subaereus* Wollaston, 1864<sup>©</sup>
- Phalacrus corruscus* (Panzer, 1797)
- Phalacrus maspalomensis* Palm, 1975<sup>©</sup>
- Stilbus testaceus* (Panzer, 1797)

**Ptiliidae** (19)

- Acrotrichis brevipennis* (Erichson, 1845)
- Acrotrichis fascicularis* (Herbst, 1793)
- Acrotrichis matthewsi* Wollaston, 1864
- Acrotrichis sanctaehelenae* Johnson, 1972
- Acrotrichis sericans* (Heer, 1841)
- Acrotrichis thoracica* (Waltl, 1838)
- Acrotrichis wollastoni* (Matthews, 1865)<sup>©</sup>
- Actinopteryx fucicola* (Allibert, 1844)
- Nephanes euphorbiicola* Israelson, 1976<sup>©</sup>
- Nephanes titan* (Newman, 1834)
- Ptenidium laevigatum* (Erichson, 1845)
- Ptenidium punctatum* (Gyllenhal, 1827)
- Ptenidium pusillum* (Gyllenhal, 1808)
- Ptenidium turgidum* Thomson, 1855
- Pteryx franzi* Israelson, 1976<sup>©</sup>
- Ptiliolium besucheti* Israelson, 1976<sup>©</sup>
- Ptiliolium fuscum* (Erichson, 1845)
- Ptinella aptera* Guérin-Ménéville, 1839
- Ptinella tenella* (Erichson, 1845)

**Ptilodactylidae** (1)

- Ptilodactyla exotica* Chapin, 1927

**Ptinidae** (79)

- Anobium punctatum* (DeGeer, 1774)
- Calymmaderus arrochai* Bercedo, Gcía. & Arnáiz, 2008<sup>©</sup>
- Casapus alticola* Wollaston, 1862<sup>©</sup>
- Casapus barbicollis* (Israelson, 1993)<sup>©</sup>
- Casapus bonvouloirii* Wollaston, 1862<sup>©</sup>
- Casapus dilaticollis* Wollaston, 1862<sup>©</sup>
- Casapus hirsutus* Bellés, 1996<sup>©</sup>
- Casapus inconstans* (Wollaston, 1862)<sup>©</sup>
- Casapus radiosus* Wollaston, 1862<sup>©</sup>

- Casapus subcalvus* Wollaston, 1862<sup>©</sup>
  - Casapus vestitus* (Wollaston, 1862)<sup>©</sup>
  - Clada denticornis insularis* Israelson, 1974<sup>©</sup>
  - Clada spagnoli* Israelson, 1974<sup>©</sup>
  - Clada fernandezi* Español, 1968<sup>©</sup>
  - Clada oromii* Español, 1968
  - Dignomus gracilipes* Wollaston, 1862
  - Ernobius mollis espanoli* Johnson, 1975<sup>©</sup>
  - Gastrallus lyctoides* (Wollaston, 1865)<sup>©</sup>
  - Hyperisus flicornis* (Israelson, 1974)<sup>©</sup>
  - Hyperisus impressus* (Wollaston, 1865)<sup>©</sup>
  - Lasioderma baudii* Schilsky, 1899
  - Lasioderma desectum* (Wollaston, 1861)<sup>©</sup>
  - Lasioderma excavatum* (Wollaston, 1861)<sup>©</sup>
  - Lasioderma flavicollis* (Wollaston, 1865)<sup>©</sup>
  - Lasioderma haemorrhoidale* (Illiger, 1807)
  - Lasioderma latitans* (Wollaston, 1861)
  - Lasioderma minutum* Lindberg, 1950<sup>©</sup>
  - Lasioderma serricorne* (Fabricius, 1792)
  - Megorama subserratatum* Israelson, 1974<sup>©</sup>
  - Mesocoelopus leileri* Israelson, 1976<sup>©</sup>
  - Mesotheres canariensis* Español, & Oromí, 1984<sup>©</sup>
  - Metholcus abora* Bercedo, García & Arnáiz, 2007<sup>©</sup>
  - Metholcus gracilipes gracilipes* Israelson, 1974<sup>©</sup>
  - Metholcus gracilipes substratus* Israelson, 1974<sup>©</sup>
  - Mezium americanum* (Castelnaud, 1840)
  - Mezium horridum* Lindberg, 1950<sup>©</sup>
  - Mezium sulcatum* (Fabricius, 1781)
  - Neodryophilus cryptophagoides* (Wollaston, 1864)<sup>©</sup>
  - Nicobium albofasciatum* Bercedo & Arnáiz, 2007
  - Nicobium castaneum* (Olivier, 1790)
  - Nicobium velatum* (Wollaston, 1858)
  - Nicobium villosum* (Brullé 1839)
  - Oligomerus ptilinoides* (Wollaston, 1854)
  - Ozognathus cornutus* (Leconte, 1859)
  - Paraxyletinus israelsoni* Español, 1972<sup>©</sup>
  - Paraxyletinus oculatissimus* Israelson, 1974<sup>©</sup>
  - Paraxyletinus ornatus fernandezi* Esp. & Oromí, 1984<sup>©</sup>
  - Paraxyletinus ornatus ornatus* Israelson, 1974<sup>©</sup>
  - Piarus basalis* Wollaston, 1862<sup>©</sup>
  - Ptilinus lepidus* Wollaston, 1864<sup>©</sup>
  - Ptinus dubius* Sturm, 1837
  - Ptinus latro* Fabricius, 1775
  - Sphaericus crotchianus* Wollaston, 1864<sup>©</sup>
  - Sphaericus feloi* Erber 2002<sup>©</sup>
  - Sphaericus franzi* Leiler, 1984<sup>©</sup>
  - Sphaericus gibbicollis* Wollaston, 1862
  - Sphaericus langei* Erber 2002<sup>©</sup>
  - Sphaericus machadoi* Bellés, 1994<sup>©</sup>
  - Sphaericus marmoratus* Wollaston, 1865<sup>©</sup>
  - Sphaericus pinguis* (Wollaston, 1854)
  - Sphaericus pseudofranzi* Erber 2002<sup>©</sup>
  - Sphaericus ptilinoides* (Boieldieu, 1854)
  - Sphaericus rotundatus* Wollaston, 1865<sup>©</sup>
  - Sphaericus rotundicollis* Israelson, 1980<sup>©</sup>
  - Sphaericus simplex* Wollaston, 1862<sup>©</sup>
  - Sphaericus thurepalmi* Leiler, 1984<sup>©</sup>
  - Stagetus euphorbiae* Israelson, 1971<sup>©</sup>
  - Stagetus hirtulus brachypilosus* Israelson, 1971<sup>©</sup>
  - Stagetus hirtulus crenatus* Wollaston, 1861<sup>©</sup>
  - Stagetus hirtulus hirtulus* Wollaston, 1861<sup>©</sup>
  - Stagetus hirtulus orientalis* Israelson, 1974<sup>©</sup>
  - Stagetus israelsoni* Toskina, 2012<sup>©</sup>
  - Stagetus thurepalmi* Israelson, 1971<sup>©</sup>
  - Stegobium paniceum* (Linnaeus, 1758)
  - Stereocaulophilus volcanius* Bellés, 1995<sup>©</sup>
  - Stereocaulophilus yuja* García, 2020<sup>©</sup>
  - Xyletinus bucephalus bucephalus* (Illiger, 1807)
  - Xyletinus fimicola* (Wollaston, 1861)
  - Xyletinus havai* Zahradník, 2017<sup>©</sup>
- Salpingidae** (2)
- Aglenus brunneus* (Gyllenhal, 1813)
  - Sphaeriestes impressus* (Wollaston, 1857)
- Scarabaeidae** (41)
- Aphodius cognatus* Fairmaire, 1860
  - Aphodius granarius* (Linnaeus, 1767)
  - Aphodius hieroglyphicus* Klug, 1845
  - Aphodius hydrochaeris* (Fabricius, 1798)
  - Aphodius ictericus ghardimaouensis* Balthasar, 1929
  - Aphodius lividus* (Olivier, 1789)
  - Aphodius lucidus* Klug, 1845
  - Aphodius nanus* Fairmaire, 1860
  - Aphodius orbignyi* Clouët des Pesruches, 1896
  - Aphodius palmenticolus* Karsch, 1881
  - Aphodius wollastoni* Harold, 1862
  - Ataenius brevicollis* (Wollaston, 1854)
  - Brindalus schatzmayri* (Pittino, 1980)
  - Eremazus unistriatus* Mulsant, 1851
  - Oryctes prolixus* Wollaston, 1864<sup>©</sup>
  - Oxythyrea funesta* (Poda, 1761)
  - Pachydema ameliae* López-Colón, 1986<sup>©</sup>
  - Pachydema bipartita* (Brullé 1839)<sup>©</sup>
  - Pachydema castanea* (Brullé 1839)<sup>©</sup>
  - Pachydema fortunatorum* Baraud, 1985<sup>©</sup>
  - Pachydema fuscipennis* (Brullé 1839)<sup>©</sup>
  - Pachydema gomerae* López-Colón, 1999<sup>©</sup>
  - Pachydema integra* (Wollaston, 1864)<sup>©</sup>
  - Pachydema jeannei* (Baraud, 1980)<sup>©</sup>
  - Pachydema lesnei* Peyerimhof, 1928<sup>©</sup>
  - Pachydema megalops* Micó, 2009<sup>©</sup>
  - Pachydema menieri* Baraud, 1985<sup>©</sup>
  - Pachydema navatteae* Baraud, 1985<sup>©</sup>
  - Pachydema obscura* (Brullé 1839)<sup>©</sup>
  - Pachydema obscurella* (Wollaston, 1864)<sup>©</sup>
  - Pachydema oromii* López-Colón, 1986<sup>©</sup>
  - Pachydema tinerfensis* Galante & Stebnicka, 1992<sup>©</sup>
  - Pachydema wollastoni* Peyerimhof, 1928<sup>©</sup>
  - Paleira femorata* (Illiger, 1803)
  - Phyllognathus excavatus* (Forster, 1771)
  - Platytomus tibialis* (Fabricius, 1798)
  - Pleurophorus caesus* (Creutzer, 1796)
  - Protaetia cuprea brancoi* (Baraud, 1992)
  - Protaetia opaca opaca* (Fabricius, 1787)
  - Rhyssmodes orientalis* (Mulsant & Godart, 1875)
  - Tropinota squalida canariensis* Lindberg, 1950<sup>©</sup>

**Scirtidae** (1)

- Cyphon gracilicornis* Wollaston, 1864<sup>©</sup>

**Scraptiidae** (4)

- Anaspis canariensis* Ermisch, 1967<sup>©</sup>  
 *Anaspis eversi* Ermisch, 1964<sup>©</sup>  
 *Anaspis imitator* Ermisch, 1963  
 *Anaspis proteus* Wollaston, 1854

**Silphidae** (4)

- Heterotemna britoi* García & Pérez, 1996<sup>©</sup>  
 *Heterotemna figurata* (Brullé 1839)<sup>©</sup>  
 *Heterotemna tenuicornis* (Brullé, 1836)<sup>©</sup>  
 *Silpha puncticollis* Lucas, 1846

**Silvanidae** (9)

- Ahasverus advena* (Waltl, 1834)  
 *Airaphilus doramas* Wurst & Lange, 1996<sup>©</sup>  
 *Airaphilus nubigena* (Wollaston, 1863)<sup>©</sup>  
 *Cryptomorpha desjardinsii* (Guérin-Ménéville), 1844  
 *Nausibius clavicornis* Kugelann, 1794  
 *Oryzaephilus mercator* (Fauvel, 1889)  
 *Oryzaephilus surinamensis* (Linnaeus, 1758)  
 *Psammoecus personatus* Grouvelle, 1919  
 *Silvanus unidentatus* (Olivier, 1790)

**Sphindidae** (1)

- Sphindus dubius* (Gyllenhal, 1808)

**Staphylinidae** (356)

- Achenium aequatum transsaharensis* Koch, 1937  
 *Achenium hispanicum* Koch, 1937  
 *Achenium subcaecum* Wollaston, 1864<sup>©</sup>  
 *Acrotone nigerrima* (Aubé, 1850)  
 *Acrotone vagepunctata* (Wollaston, 1862)<sup>©</sup>  
 *Afropselaphus canariensis* Besuchet, 1968<sup>©</sup>  
 *Afropselaphus fernandesi* Besuchet, 1968<sup>©</sup>  
 *Afropselaphus guanche* Besuchet, 1970<sup>©</sup>  
 *Afropselaphus palpiger* (Wollaston, 1865)<sup>©</sup>  
 *Afropselaphus spinipalpis* Besuchet, 1968<sup>©</sup>  
 *Aleochara albopila* (Mulsant & Rey, 1852)  
 *Aleochara binotata* Kraatz, 1856  
 *Aleochara bipustulata* (Linnaeus, 1760)  
 *Aleochara clavicornis* Redtenbacher, 1849  
 *Aleochara fageli* Likovský, 1984  
 *Aleochara funebris* Wollaston, 1864  
 *Aleochara grisea* Kraatz, 1856  
 *Aleochara intricata* Mannerheim, 1830  
 *Aleochara lanuginosa* Gravenhorst, 1802  
 *Aleochara laticornis* Kraatz, 1856  
 *Aleochara moesta* Gravenhorst, 1802  
 *Aleochara puberula* Klug, 1832  
 *Aleochara verna* Say, 1836  
 *Alevonota canariensis* (Oromí, & Martín, 1984)<sup>©</sup>  
 *Alevonota franzi* (Palm, 1976)<sup>©</sup>  
 *Alevonota hephaestos* (Hernández & García, 1989)<sup>©</sup>  
 *Alevonota hierroensis* Assing & Wunderle, 2008<sup>©</sup>  
 *Alevonota junoniae* (Hernández & Martín, 1990)<sup>©</sup>  
 *Alevonota oromii* Assing, 2002<sup>©</sup>

- Alevonota outerelei* (Gamarra & Hernández, 1989)<sup>©</sup>  
 *Alevonota pacei* Assing, 2002<sup>©</sup>  
 *Alevonota palmi* (Franz, 1981)<sup>©</sup>  
 *Alevonota sollemnis* Assing, 1999<sup>©</sup>  
 *Alevonota tanausui* (Hernández & Martín, 1990)<sup>©</sup>  
 *Aloconota aegyptiaca* (Motschulsky, 1858)  
 *Aloconota amnigena* (Wollaston, 1864)  
 *Aloconota gregaria* (Erichson, 1839)  
 *Aloconota sulcifrons* (Stephens, 1832)  
 *Amischa decipiens* (Sharp, 1869)  
 *Anotylus complanatus* (Erichson, 1839)  
 *Anotylus glareosus* (Wollaston, 1854)  
 *Anotylus nitidifrons* (Wollaston, 1871)  
 *Anotylus nitidulus* (Gravenhorst, 1802)  
 *Astenus dimidiatus* (Wollaston, 1864)<sup>©</sup>  
 *Astenus megacephalus coiffaiti* Israelson, 1971<sup>©</sup>  
 *Astenus megacephalus gomerensis* (Wollaston, 1865)<sup>©</sup>  
 *Astenus megacephalus megacephalus* (Wollaston, 1864)<sup>©</sup>  
 *Astenus melanurus* (Küster, 1853)  
 *Astenus myrmecophilus* (Wollaston, 1864)<sup>©</sup>  
 *Astenus nigromaculatus* (Motschulsky, 1858)  
 *Astenus pallidulus* (Wollaston, 1864)  
 *Astenus pseudomegacephalus* Israelson, 1971<sup>©</sup>  
 *Astenus thoracicus thoracicus* (Baudi, 1857)  
 *Astenus uyttenboogaarti* Bernhauer, 1928<sup>©</sup>  
 *Astenus wollastoni* Coiffait, 1971<sup>©</sup>  
 *Atheta aeneicollis* (Sharp, 1869)  
 *Atheta amicula* (Stephens, 1832)  
 *Atheta atramentaria* (Gyllenhal, 1810)  
 *Atheta cacti* (Wollaston, 1862)<sup>©</sup>  
 *Atheta canariensis* (Wollaston, 1862)<sup>©</sup>  
 *Atheta clientula* (Erichson, 1839)  
 *Atheta coriaria* (Kraatz, 1856)  
 *Atheta dilaticornis* (Kraatz, 1856)  
 *Atheta fungi* (Gravenhorst, 1806)  
 *Atheta laeta* (Wollaston, 1864)  
 *Atheta laticollis* (Stephens, 1832)  
 *Atheta misella* (Wollaston, 1864)<sup>©</sup>  
 *Atheta mucronata* (Kraatz, 1859)  
 *Atheta nigra* (Kraatz, 1856)  
 *Atheta palustris* (Kiesenwetter, 1844)  
 *Atheta pasadenae* Bernhauer, 1906  
 *Atheta pruinosa* (Kraatz, 1856)  
 *Atheta rufobadia* (Wollaston, 1864)<sup>©</sup>  
 *Atheta rufofusca* (Wollaston, 1864)<sup>©</sup>  
 *Atheta triangulum* (Kraatz, 1856)  
 *Atheta trinotata* (Kraatz, 1856)  
 *Atheta uyttenboogaarti* Bernhauer, 1928<sup>©</sup>  
 *Bisnius parvus* (Sharp, 1874)  
 *Bisnius sordidus* (Gravenhorst, 1802)  
 *Bledius corniger* Rosenhauer, 1856  
 *Bledius furcatus* (Olivier, 1811)  
 *Bledius unicornis* (Germar, 1825)  
 *Bledius vitulus* Erichson, 1840  
 *Cafius xantholoma* (Gravenhorst, 1806)  
 *Canariobolitobius filicornis* (Wollaston, 1864)<sup>©</sup>  
 *Carpelimus bilineatus* (Stephens, 1834)  
 *Carpelimus corticinus* (Gravenhorst, 1806)  
 *Carpelimus exiguus* (Erichson, 1839)

- Carpelimus memnonius* (Erichson, 1840)
- Carpelimus pusillus* (Gravenhorst, 1802)
- Carpelimus rivularis* (Motschulsky, 1860)
- Carpelimus troglodytes troglodytes* (Erichson, 1840)
- Centrophthalmus villosulus canariensis* (Mateu, 1956)<sup>Ⓞ</sup>
- Cilea silphoides* (Linnaeus, 1767)
- Coproporus pulchellus* (Erichson, 1839)
- Cordalia obscura* (Gravenhorst, 1802)
- Creophilus maxillosus maxillosus* (Linnaeus, 1758)
- Domene alticola* Oromí & Hernández, 1986<sup>Ⓞ</sup>
- Domene benahoarensis* Oromí & Martín, 1990<sup>Ⓞ</sup>
- Domene jonayi* Hernández & Medina, 1990<sup>Ⓞ</sup>
- Domene sylvatica* Hernández & Oromí, 1993<sup>Ⓞ</sup>
- Domene vulcanica* Oromí & Hernández, 1986<sup>Ⓞ</sup>
- Echidnoglossa constricta* Wollaston, 1864<sup>Ⓞ</sup>
- Enoptostomus globulicornis* (Motschulsky, 1851)
- Entomoculia canariensis* Outerelo, 1982<sup>Ⓞ</sup>
- Entomoculia lauricola* Outerelo & Hernández, 1989<sup>Ⓞ</sup>
- Entomoculia vulcanica* Herndando & López, 2024<sup>Ⓞ</sup>
- Euconus campestris* (Schaufuss, 1866)
- Euconus specus* Vít, 2004<sup>Ⓞ</sup>
- Euphorbagria rotundicollis* (Lindberg, 1953)<sup>Ⓞ</sup>
- Euplectus caecus* Besuchet, 1990<sup>Ⓞ</sup>
- Euplectus canariensis* Besuchet, 1968<sup>Ⓞ</sup>
- Euplectus franzi* Besuchet, 1968<sup>Ⓞ</sup>
- Euplectus hierrensis* Franz, 1979<sup>Ⓞ</sup>
- Euplectus infirmus* Raffray, 1910
- Euplectus insignis* Besuchet, 1961<sup>Ⓞ</sup>
- Euplectus micropterus* Besuchet, 1970<sup>Ⓞ</sup>
- Euplectus monticola* Wollaston, 1864<sup>Ⓞ</sup>
- Euplectus sanguineus* Denny, 1825
- Euplectus wollastoni* Jeannel, 1956<sup>Ⓞ</sup>
- Euryporus princeps* Wollaston, 1864<sup>Ⓞ</sup>
- Eutheia tenerifae* Franz, 1971<sup>Ⓞ</sup>
- Gabrius canariensis* (Fauvel, 1898)<sup>Ⓞ</sup>
- Gabrius heres* Smetana, 1962<sup>Ⓞ</sup>
- Gabrius hoggarensis* Coiffait, 1966
- Gabrius nigritulus* (Gravenhorst, 1802)
- Gabronthus maritimus* (Motschulsky, 1858)
- Gauropterus fulgidus fulgidus* (Fabricius, 1787)
- Geomitopsis franzi* Coiffait, 1978<sup>Ⓞ</sup>
- Geostiba lanzarotensis* (Palm, 1975)<sup>Ⓞ</sup>
- Geostiba muscicola* (Wollaston, 1864)<sup>Ⓞ</sup>
- Gyrohypnus fracticornis* (Müller, 1776)
- Gyrohypnus marginalis* (Wollaston, 1862)<sup>Ⓞ</sup>
- Habrocerus canariensis* Assing & Wunderle, 1995<sup>Ⓞ</sup>
- Habrocerus capillaricornis* (Gravenhorst, 1806)
- Heterota plumbea* (Waterhouse, 1858)
- Heterothops canariensis* Israelson, 1979<sup>Ⓞ</sup>
- Holobus chrysopterus* (Kraatz, 1859)
- Hydrosmecta angustissima* (Wollaston, 1864)<sup>Ⓞ</sup>
- Hydrosmecta fragilis* (Kraatz, 1854)
- Hydrosmecta longula* (Heer, 1839)
- Hypomedon debilicornis* (Wollaston, 1857)
- Ischnoglossa minor* (Aubé, 1863)
- Ischnosoma monilicorne* (Wollaston, 1864)<sup>Ⓞ</sup>
- Lathrobium fulvipenne* Gravenhorst, 1806
- Leptacinus intermedius* Donisthorpe, 1936
- Leptacinus pusillus* (Stephens, 1833)
- Leptobium debilipenne* (Wollaston, 1865)<sup>Ⓞ</sup>
- Leptobium gomerense* Assing, 1999<sup>Ⓞ</sup>
- Leptobium gracile* (Gravenhorst, 1802)
- Leptobium nigricolle canariense* (Fauvel, 1898)<sup>Ⓞ</sup>
- Leptobium nigricolle nigricolle* (Wollaston, 1862)<sup>Ⓞ</sup>
- Leptobium ruficolle* (Wollaston, 1862)<sup>Ⓞ</sup>
- Lithocharis ochracea* (Gravenhorst, 1802)
- Lithocharis sororcula* (Kraatz, 1859)
- Lithocharis subochracea* Coiffait, 1966
- Lithocharis vilis* (Kraatz, 1859)
- Lobopaederus cephalotes* (Motschoulsky, 1849)
- Lobrathium anale* (Lucas 1846)
- Lordithon thoracicus luridus* (Wollaston, 1864)<sup>Ⓞ</sup>
- Lusitanopsis tenerifensis* Outerelo, 1990<sup>Ⓞ</sup>
- Luzea nigritula* (Erichson, 1839)
- Medon antricola* Assing, 2006<sup>Ⓞ</sup>
- Medon apicalis* (Kraatz, 1857)
- Medon dilutus quadriceps* (Wollaston, 1864)<sup>Ⓞ</sup>
- Medon feloi* Assing, 1998<sup>Ⓞ</sup>
- Medon oromii* Assing, 2006<sup>Ⓞ</sup>
- Medon subcoriaceus* (Wollaston, 1864)<sup>Ⓞ</sup>
- Megalinus glabratus* (Gravenhorst, 1802)
- Megalinus hesperius* (Erichson, 1839)
- Megarthus serrula* Wollaston, 1865<sup>Ⓞ</sup>
- Megarthus spathuliformis* Assing & Wunderle, 1999<sup>Ⓞ</sup>
- Megarthus wollastoni* Cuccodoro & Löbl, 1997
- Metopsia canariensis* Zerche, 1998<sup>Ⓞ</sup>
- Metopsia cimicoides* Wollaston, 1864<sup>Ⓞ</sup>
- Metopsia elytrata* Zerche, 1998<sup>Ⓞ</sup>
- Metopsia feloi* Zerche, 1998<sup>Ⓞ</sup>
- Metopsia gomerensis* (Franz, 1986)<sup>Ⓞ</sup>
- Metopsia neglecta* Zerche, 1998<sup>Ⓞ</sup>
- Metopsia palmensis* (Franz, 1986)<sup>Ⓞ</sup>
- Metopsia tenoensis* (Franz, 1986)<sup>Ⓞ</sup>
- Micranops bifossicapitata* (Outerelo & Oromí, 1987)<sup>Ⓞ</sup>
- Micranops mlejnecki* Frisch et Oromi, 2006
- Micranops spelaeus* Frisch et Oromi, 2006
- Micranops subterraneus* Frisch et Oromi, 2006
- Micropeplus gomerensis* Assing, 1999<sup>Ⓞ</sup>
- Mycetoporus angularis* Mulsant et Rey, 1853
- Mycetoporus christinae* Palm, 1975<sup>Ⓞ</sup>
- Mycetoporus discoideus* Wollaston, 1865<sup>Ⓞ</sup>
- Mycetoporus feloi* Schülke, 2000<sup>Ⓞ</sup>
- Mycetoporus glaber rufus* Wollaston, 1864<sup>Ⓞ</sup>
- Mycetoporus nigricollis* (Stephens, 1835)
- Mycetoporus solidicornis* Wollaston, 1864
- Myrmecocephalus concinnus* (Erichson, 1839)
- Myrmecopora laesa* (Erichson, 1839)
- Myrmecopora sulcata* (Kiesenwetter, 1850)
- Nacaeus impressicollis* (Motschulsky, 1858)
- Nehemitropia lividipennis* (Mannerheim, 1830)
- Neobisnius lathrobioides* (Baudi, 1848)
- Neobisnius orbis* (Kiesenwetter, 1850)
- Neobisnius procerulus procerulus* (Gravenhorst, 1806)
- Nudobius canariensis* Israelson, 1969<sup>Ⓞ</sup>
- Ocypus aethiops* (Waltl, 1835)
- Ocypus affinis* Wollaston, 1864<sup>Ⓞ</sup>
- Ocypus anophthalmicus* (Hernández & Aguiar, 1988)<sup>Ⓞ</sup>
- Ocypus canariensis* Gemminger & Harold, 1868<sup>Ⓞ</sup>

- Ocypus fortunatarum* Wollaston, 1871  
 *Ocypus inexpectatus* Tronquet, 2018<sup>©</sup>  
 *Ocypus mateui* (Coiffait, 1954)<sup>©</sup>  
 *Ocypus olens* (Müller, 1764)  
 *Ocypus subaenescens* Wollaston, 1864  
 *Ocypus sylvaticus* Wollaston, 1865<sup>©</sup>  
 *Ocypus umbricola* Wollaston, 1864<sup>©</sup>  
 *Oligota canariensis* Williams, 1973  
 *Oligota castanea* Wollaston, 1864<sup>©</sup>  
 *Oligota hirta* Williams, 1973<sup>©</sup>  
 *Oligota muensteri* Bernhauer, 1923  
 *Oligota parva* Kraatz, 1862  
 *Oligota pseudohirta* Williams, 1973<sup>©</sup>  
 *Oligota pusillima* (Gravenhorst, 1806)  
 *Oligota stefaniae* Assing, 1999<sup>©</sup>  
 *Oligota wollastoni* Williams, 1973<sup>©</sup>  
 *Omalius excavatum* Stephens, 1834  
 *Omalius ocellatum* Wollaston, 1854  
 *Othius brachypterus* Wollaston, 1864<sup>©</sup>  
 *Othius intermedius* Korge, 1962<sup>©</sup>  
 *Othius microphallus* Assing, 1998<sup>©</sup>  
 *Othius microphthalmus* Coiffait, 1954<sup>©</sup>  
 *Othius neglectus* Palm, 1976<sup>©</sup>  
 *Othius palmaensis* Assing, 1997<sup>©</sup>  
 *Othius philonthoides* Wollaston, 1864<sup>©</sup>  
 *Othius punctulatus* (Goeze, 1777)  
 *Othius zerchei* Assing, 1997<sup>©</sup>  
 *Outachyusa raptoria* (Wollaston, 1854)  
 *Oxypoda arabs* Fauvel, 1904  
 *Oxypoda aranensis* (Israelson, 1985)<sup>©</sup>  
 *Oxypoda assingi* Zerche, 1996<sup>©</sup>  
 *Oxypoda brevipennis* Wollaston, 1864<sup>©</sup>  
 *Oxypoda caeca* Assing, 2005<sup>©</sup>  
 *Oxypoda canariensis* Zerche, 1996<sup>©</sup>  
 *Oxypoda carbonaria* (Heer, 1841)  
 *Oxypoda ductifera* Zerche, 1996<sup>©</sup>  
 *Oxypoda exoleta* Erichson, 1839  
 *Oxypoda gillerforsi* Zerche, 1996<sup>©</sup>  
 *Oxypoda gomerensis* Zerche, 1996<sup>©</sup>  
 *Oxypoda gran Canariae* Assing, 2003<sup>©</sup>  
 *Oxypoda haemorrhoea* (Mannerheim, 1830)  
 *Oxypoda hernandezii* Zerche, 1996<sup>©</sup>  
 *Oxypoda hierroensis* Zerche, 1996<sup>©</sup>  
 *Oxypoda lehmanni* Assing & Wunderle, 1999<sup>©</sup>  
 *Oxypoda lurida* Wollaston, 1857  
 *Oxypoda meybohmi* Zerche, 1996<sup>©</sup>  
 *Oxypoda obscoena* Wollaston, 1865<sup>©</sup>  
 *Oxypoda palmensis* Zerche, 1996<sup>©</sup>  
 *Oxypoda piniphila* Zerche, 1996<sup>©</sup>  
 *Oxypoda silosensis* Zerche, 1996<sup>©</sup>  
 *Oxypoda tenerifensis* Zerche, 1996<sup>©</sup>  
 *Oxypoda tenoensis* Zerche, 1996<sup>©</sup>  
 *Oxypoda teydensis* (Palm, 1975)<sup>©</sup>  
 *Oxypoda wunderlei* Zerche, 1996<sup>©</sup>  
 *Oxytelus piceus* (Linnaeus, 1767)  
 *Oxytelus sculptus* Gravenhorst, 1806  
 *Paraphloeostiba gayndahensis* (MacLeay, 1873)  
 *Phacophallus pallidipennis* (Motschulsky, 1858)  
 *Phacophallus parumpunctatus* (Gyllenhal, 1827)  
 *Philonthus concinnus* (Gravenhorst, 1802)  
 *Philonthus debilis* (Gravenhorst, 1802)  
 *Philonthus decorus* (Gravenhorst, 1802)  
 *Philonthus discoideus* (Gravenhorst, 1802)  
 *Philonthus fenestratus* (Fauvel, 1872)  
 *Philonthus longicornis* Stephens, 1832  
 *Philonthus minutus* (Boheman, 1848)  
 *Philonthus quisquiliarius quisquiliarius* (Gyllenhal, 1810)  
 *Philonthus rectangulus* Sharp, 1874  
 *Philonthus turbidus* Erichson, 1840  
 *Philonthus umbratilis* (Gravenhorst, 1802)  
 *Philonthus ventralis* (Gravenhorst, 1802)  
 *Phlorinum floricola* Wollaston, 1864  
 *Phloeonomus pusillus* (Gravenhorst, 1806)  
 *Phloeopora corticina* Woll., 1864  
 *Phytosus balticus* (Kraatz, 1859)  
 *Phytosus nigriventris* Chevrolat, 1843  
 *Phytosus spinifer* Curtis, 1838  
 *Platystethus alutaceus* (Thomson, 1861)  
 *Platystethus cornutus cornutus* (Gravenhorst, 1802)  
 *Platystethus degener* Mulsant & Rey, 1878  
 *Platystethus nitens* (Sahlberg, 1832)  
 *Procirrus lefebvrei macrops* Koch, 1934  
 *Proteinus atomarius* Erichson, 1840  
 *Protogoerius brullei* Smetana & Davies, 2000<sup>©</sup>  
 *Pseudobium peyerimhoffi* Jarrige, 1949  
 *Quedius angustifrons* Wollaston, 1864<sup>©</sup>  
 *Quedius depauperatus* Wollaston, 1871<sup>©</sup>  
 *Quedius expectatus* Israelson, 1985<sup>©</sup>  
 *Quedius fulgidus fulgidus* (Fabricius, 1793)  
 *Quedius gautardi* Fauvel, 1898<sup>©</sup>  
 *Quedius hispanicus* Bernhauer, 1898  
 *Quedius megalops* Wollaston, 1864<sup>©</sup>  
 *Quedius pallipes* Lucas, 1849  
 *Quedius pecoudi* Coiffait, 1977<sup>©</sup>  
 *Quedius semiobscurus* (Marsham, 1802)  
 *Remus sericeus* Holme, 1837  
 *Remus pruinus* (Erichson, 1840)  
 *Rugilus orbiculatus orbiculatus* (Paykull, 1789)  
 *Scopaeus gracilis* Sperm., 1835  
 *Scopaeus nigellus* Wollaston, 1864<sup>©</sup>  
 *Scydmaenus tarsatus* Müller & Kuntze, 1822  
 *Sepedophilus immaculatus* (Stephens, 1832)  
 *Sepedophilus littoreus* (Linnaeus, 1758)  
 *Sepedophilus lusitanicus* Hammond, 1973  
 *Sepedophilus tenuicornis* (Lindberg, 1953)<sup>©</sup>  
 *Stenichnus caldasi* Franz, 1965<sup>©</sup>  
 *Stenichnus castanicolor castanicolor* Harold, 1868<sup>©</sup>  
 *Stenichnus castanicolor gomeriae* Franz, 1965<sup>©</sup>  
 *Stenichnus fernandezlopezi* Cobos, 1952<sup>©</sup>  
 *Stenichnus hesperus* Franz, 1996<sup>©</sup>  
 *Stenichnus longepilosus* (Lindberg, 1953)<sup>©</sup>  
 *Stenichnus palmensis* Israelson, 1972<sup>©</sup>  
 *Stenichnus tenerifae* Franz, 1972<sup>©</sup>  
 *Stenichnus tythonus tythonus* Reitter, 1884  
 *Stenistoderus nothus* (Erichson, 1840)  
 *Stenus aeneotinctus* Wollaston, 1864<sup>©</sup>  
 *Stenus argyrotoxis* Puthz, 1988<sup>©</sup>  
 *Stenus brunneus* Puthz, 1978<sup>©</sup>

- Stenus canariensis* Puthz, 1966<sup>©</sup>
  - Stenus endemus* Puthz, 1966<sup>©</sup>
  - Stenus exspoliatus* Assing, 1998<sup>©</sup>
  - Stenus fortunatus* Puthz, 1966<sup>©</sup>
  - Stenus gran Canariae* Puthz, 1970<sup>©</sup>
  - Stenus guttula guttula* Müller, 1821
  - Stenus melanopus* (Marshall, 1802)
  - Stenus palmaensis* Puthz, 1966<sup>©</sup>
  - Stenus truncatus* Puthz, 1966<sup>©</sup>
  - Sunius anophthalmus* Hernández & García, 1992<sup>©</sup>
  - Sunius brevipennis brevipennis* (Wollaston, 1864)<sup>©</sup>
  - Sunius brevipennis canariensis* (Bernhauer, 1928)<sup>©</sup>
  - Sunius brevipennis gomerensis* Assing, 2008<sup>©</sup>
  - Sunius fernandesi* Hernández & García, 1992<sup>©</sup>
  - Sunius microphthalmus* (Franz, 1979)<sup>©</sup>
  - Sunius palmi* (Franz, 1979)<sup>©</sup>
  - Sunius tenerifensis* (Franz, 1979)<sup>©</sup>
  - Tachinus flavolimbatus* Pandellé, 1869
  - Tachyporus caucasicus* Kolenati, 1846
  - Tachyporus chrysolinus* (Linnaeus, 1758)
  - Tachyporus nitidulus* (Fabricius, 1781)
  - Tachyporus pusillus* Gravenhorst, 1806
  - Tasgius ater* (Gravenhorst, 1802)
  - Tasgius peyerimhoffi* (Müller, 1926)
  - Thecturota tenuissima* Casey, 1893
  - Thinodromus transversalis* (Wollaston, 1857)
  - Throbalium dividuum dividuum* (Erichson, 1840)
  - Tinotus morion* (Gravenhorst, 1802)
  - Trichiusa robustula* Casey, 1893
  - Trichophya pilicornis* (Gyllenhal, 1810)
  - Trissemus olivieri* (Raffray, 1871)
  - Xantholinus linearis linearis* (Olivier, 1794)
- Tenebrionidae** (162)
- Alphitobius diaperinus* (Panzer, 1976)
  - Alphitobius laevigatus* (Fabricius, 1781)
  - Anophthalmolamus fuerteventurae* Ferrer, 1993<sup>©</sup>
  - Arthrodeis byrrhoides* Wollaston, 1864<sup>©</sup>
  - Arthrodeis costifrons* Wollaston, 1864<sup>©</sup>
  - Arthrodeis curtus* (Brullé 1839)<sup>©</sup>
  - Arthrodeis emarginatus* Wollaston, 1864<sup>©</sup>
  - Arthrodeis geotrupoides* Wollaston, 1864<sup>©</sup>
  - Arthrodeis hartungi* Wollaston, 1864<sup>©</sup>
  - Arthrodeis inflatus* Wollaston, 1864<sup>©</sup>
  - Arthrodeis laticollis* (Brullé 1839)<sup>©</sup>
  - Arthrodeis malleatus* Wollaston, 1864<sup>©</sup>
  - Arthrodeis obesus crassus* Wollaston, 1865<sup>©</sup>
  - Arthrodeis obesus gomerensis* Oromí, 1977<sup>©</sup>
  - Arthrodeis obesus obesus* (Brullé 1839)<sup>©</sup>
  - Arthrodeis obesus simillimus* Wollaston, 1864<sup>©</sup>
  - Arthrodeis parcepunctatus* Wollaston, 1864<sup>©</sup>
  - Arthrodeis punctatulus* Wollaston, 1864<sup>©</sup>
  - Arthrodeis subciliatus* Wollaston, 1864<sup>©</sup>
  - Arthrodeis subcostatus* (Brullé 1839)<sup>©</sup>
  - Blaps lethifera lethifera* Marshall, 1802
  - Boromorphus parvus* Wollaston, 1864<sup>©</sup>
  - Centorus elongatus elongatus* (Herbst, 1797)
  - Cheirodes brevicollis* (Wollaston, 1864)
  - Cheirodes guanchorum* Ferrer, 2016<sup>©</sup>
  - Cheirodes pilosus* (Tournier, 1868)
  - Clitobius ovatus salinicola* (Wollaston, 1864)
  - Cnemeplatia laticeps* (Wollaston, 1857)
  - Corticeus pini* (Panzer, 1799)
  - Cossyphodes wollastoni* Westwood, 1851
  - Cossyphus moniliferus moniliferus* Chevrolat, 1833
  - Crypticus fernandesi* Español, 1954<sup>©</sup>
  - Crypticus gomerensis* Oromí, 1978<sup>©</sup>
  - Crypticus minutus* Brullé 1839<sup>©</sup>
  - Crypticus navicularis amaroides* Lindberg, 1953<sup>©</sup>
  - Crypticus navicularis calvus* Wollaston, 1865<sup>©</sup>
  - Crypticus navicularis canariensis* Wollaston, 1864<sup>©</sup>
  - Crypticus navicularis latihumeralis* Lindberg, 1953<sup>©</sup>
  - Crypticus navicularis navicularis* Brullé 1839<sup>©</sup>
  - Crypticus navicularis punctatissimus* Wollaston, 1864<sup>©</sup>
  - Crypticus nitidulus* Wollaston, 1865<sup>©</sup>
  - Crypticus oblongus oblongus* Wollaston, 1864<sup>©</sup>
  - Crypticus oblongus subnitens* Lindberg, 1950<sup>©</sup>
  - Eulipus elongatus* (Brullé 1839)
  - Falsocaedius fossulatus* (Escalera, 1914)
  - Gnathocerus cornutus* (Fabricius, 1798)
  - Gnathocerus maxilosus* (Fabricius, 1801)
  - Gonocephalum affine* (Billberg, 1815)
  - Gonocephalum merensi estevezi* Ferrer, 1993<sup>©</sup>
  - Gonocephalum merensi merensi* (Uyttenboogaart, 1929)<sup>©</sup>
  - Gonocephalum oblitum* (Wollaston, 1864)<sup>©</sup>
  - Gonocephalum patrulele patrulele* (Erichson, 1843)
  - Gonocephalum prolixum* (Erichson, 1843)
  - Gonocephalum rusticum* (Olivier, 1811)
  - Gonocephalum setulosum angustum* Lindberg, 1950
  - Hegeter abbreviatus* Brullé 1839<sup>©</sup>
  - Hegeter amaroides* Solier, 1835<sup>©</sup>
  - Hegeter brevicollis* Brullé 1839<sup>©</sup>
  - Hegeter brevicornis* Lindberg, 1953<sup>©</sup>
  - Hegeter costipennis* Wollaston, 1864<sup>©</sup>
  - Hegeter deyrollei* (Wollaston, 1864)<sup>©</sup>
  - Hegeter excisus* Lindberg, 1950<sup>©</sup>
  - Hegeter fernandesi* Español, 1957<sup>©</sup>
  - Hegeter glaber* Brullé 1839<sup>©</sup>
  - Hegeter gomerensis* Wollaston, 1864<sup>©</sup>
  - Hegeter gonzalezi* Español, 1957<sup>©</sup>
  - Hegeter gran Canariae* Lindberg, 1950
  - Hegeter impressus* Brullé 1839<sup>©</sup>
  - Hegeter intercedens* Lindberg, 1950<sup>©</sup>
  - Hegeter lateralis* Brullé 1839<sup>©</sup>
  - Hegeter merkli* Grimm & Illig 2022<sup>©</sup>
  - Hegeter plicifrons* (Wollaston, 1864)<sup>©</sup>
  - Hegeter proximus* Lindberg, 1950<sup>©</sup>
  - Hegeter subrotundatus* Wollaston, 1864<sup>©</sup>
  - Hegeter tenuipunctatus* Brullé 1839<sup>©</sup>
  - Hegeter transversus* Brullé 1839<sup>©</sup>
  - Hegeter tristis* (Fabricius, 1792)
  - Hegeter webbiana* Heineken, 1830<sup>©</sup>
  - Latheticus oryzae* Waterhouse, 1880
  - Lithoblaps alternans* Brullé 1839<sup>©</sup>
  - Lithoblaps gigas* (Linnaeus, 1767)
  - Lyphia angusta* Lucas, 1849
  - Melanochrus blairi* Uyttenboogaart, 1929<sup>©</sup>
  - Melanochrus lacordairei* Wollaston, 1864<sup>©</sup>

- Melansis angulata angulata* Wollaston, 1864<sup>©</sup>  
 *Melansis angulata hierroensis* Español, 1962<sup>©</sup>  
 *Melansis costata* (Brullé 1839)<sup>©</sup>  
 *Melansis kaszabi* Ferrer, 1992<sup>©</sup>  
 *Melansis reyesi* García & Oromí, 2000<sup>©</sup>  
 *Melansis tibicena* Liberto & Leo, 2002<sup>©</sup>  
 *Melasmana appenhageni* Koch, 1948<sup>©</sup>  
 *Melasmana lineatum* (Brullé 1839)<sup>©</sup>  
 *Myrmexichenus picinus* (Aubé, 1850)  
 *Myrmexichenus vaporariorum* (Guér.-Méneville, 1843)  
 *Nesotes aethiops* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes altivagans* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes aterrimus* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes conformis* (Gemminger, 1870)<sup>©</sup>  
 *Nesotes conformis* Español, 1962<sup>©</sup>  
 *Nesotes turgidicollis* Wollaston, 1864<sup>©</sup>  
 *Nesotes congestus* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes elliptipennis* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes fuscus* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes gomerensis* (Wollaston, 1865)<sup>©</sup>  
 *Nesotes helleri* (Reitter, 1922)<sup>©</sup>  
 *Nesotes lindbergi* Español, 1962<sup>©</sup>  
 *Nesotes marseuli* (Wollaston, 1865)<sup>©</sup>  
 *Nesotes nitens* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes picescens* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes piliger* (Lindberg, 1953)<sup>©</sup>  
 *Nesotes porrectus* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes quadratus* (Brullé 1839)<sup>©</sup>  
 *Nesotes rimosus* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes rufipes* (Wollaston, 1864)<sup>©</sup>  
 *Nesotes sabulicola* Israelson, 1980<sup>©</sup>  
 *Nesotes tenuipunctatus* (Lindberg, 1950)<sup>©</sup>  
 *Nesotes transversus* (Brullé 1839)<sup>©</sup>  
 *Opatrinus niloticus* (Mulsant & Rey, 1852)  
 *Oreomelasma oromii* Español, 1975<sup>©</sup>  
 *Oxycarops fuscipes* (Brullé 1839)<sup>©</sup>  
 *Paivaea hispida* (Brullé 1839)<sup>©</sup>  
 *Palorus euphorbiae* (Wollaston, 1862)<sup>©</sup>  
 *Palorus ratzeburgi* (Wissmann, 1848)  
 *Palorus subdepressus* (Wollaston, 1864)  
 *Pelleas crotchi* (Wollaston, 1865)<sup>©</sup>  
 *Phaleria cadaverina maroccana* Pic, 1923  
 *Phaleria ornata* Wollaston, 1864<sup>©</sup>  
 *Philhammus sericans* Fairmaire, 1870  
 *Phtora angusta* (Wollaston, 1861)  
 *Pimelia ascendens* Wollaston, 1864<sup>©</sup>  
 *Pimelia canariensis* Brullé 1839<sup>©</sup>  
 *Pimelia estevezi* Oromí, 1990<sup>©</sup>  
 *Pimelia fernandezlopezi* Machado, 1979<sup>©</sup>  
 *Pimelia granulicollis* Wollaston, 1864<sup>©</sup>  
 *Pimelia laevigata costipennis* Wollaston, 1864<sup>©</sup>  
 *Pimelia laevigata laevigata* Brullé 1839<sup>©</sup>  
 *Pimelia laevigata validipes* Wollaston, 1864<sup>©</sup>  
 *Pimelia lutaria* Brullé 1839<sup>©</sup>  
 *Pimelia radula oromii* Viñolas, 1994<sup>©</sup>  
 *Pimelia radula radula* Solier, 1836<sup>©</sup>  
 *Pimelia sparsa albohumeralis* Lindberg, 1950<sup>©</sup>  
 *Pimelia sparsa serrimargo* Wollaston, 1864<sup>©</sup>  
 *Pimelia sparsa sparsa* Brullé 1839<sup>©</sup>  
 *Pseudoammobius canariensis* Franz, 1996<sup>©</sup>  
 *Pseudoseriscius fonti* (Escalera, 1923)  
 *Scaurus uncinus* (Forster, 1771)  
 *Sclerum armatum* (Waltl, 1835)  
 *Sclerum asperulum* Wollaston, 1864<sup>©</sup>  
 *Stenosis canariensis* Franz, 1990<sup>©</sup>  
 *Tenebrio molitor* (Linnaeus, 1758)  
 *Tenebrio obscurus* Fabricius, 1792  
 *Trachyscelis aphodioides aphodioides* Latreille, 1809  
 *Tribolium castaneum* (Herbst, 1797)  
 *Tribolium confusum* (Duval, 1868)  
 *Tribolium destructor* Uyttenboogaart, 1934  
 *Uyttenboogaartia cribricollis* (Brullé 1839)<sup>©</sup>  
 *Uyttenboogaartia inaequalis* Wollaston, 1864<sup>©</sup>  
 *Uyttenboogaartia punctipennis* (Wollaston, 1864)<sup>©</sup>  
 *Xanthomus israelsoni* Ferrer & Whitehead, 2002  
 *Xanthomus pallidus* (Curtis, 1830)  
 *Zophosis bicarinata bicarinata* Solier, 1834<sup>©</sup>  
 *Zophosis bicarinata plicata* Brullé 1839<sup>©</sup>
- Throscidae** (6)
- Aulonothroscus elongatulus* (Wollaston, 1865)<sup>©</sup>  
 *Aulonothroscus grancanariae* (Franz, 1982)<sup>©</sup>  
 *Aulonothroscus latiusculus* (Wollaston, 1865)<sup>©</sup>  
 *Aulonothroscus tenerifae* (Franz, 1982)<sup>©</sup>  
 *Aulonothroscus wollastoni* (Franz, 1982)<sup>©</sup>  
 *Trixagus elateroides* (Heer, 1841)
- Trogidae** (3)
- Omorgus suberosus* (Fabricius, 1775)  
 *Trox granulipennis* Fairmaire, 1852  
 *Trox hispidus* Pontoppidan, 1763
- Trogossitidae** (11)
- Leipaspis caulicola caulicola* Wollaston, 1862<sup>©</sup>  
 *Leipaspis caulicola oceanicum* Wollaston, 1862  
 *Leipaspis feloi* Krátký, 2021<sup>©</sup>  
 *Leipaspis lauricola gomerensis* Plata & Prendes, 1981<sup>©</sup>  
 *Leipaspis lauricola lauricola* Wollaston, 1862<sup>©</sup>  
 *Leipaspis pinicola* Wollaston, 1862<sup>©</sup>  
 *Lophocateres pusillus* (Klug, 1832)  
 *Temnoscheila coerulea pini* (Brullé 1839)<sup>©</sup>  
 *Tenebroides latens* (Wollaston, 1862)<sup>©</sup>  
 *Tenebroides mauritanicus* (Linnaeus, 1767)  
 *Tenebroides rectus* (Wollaston, 1862)<sup>©</sup>
- Zopheridae** (38)
- Aulonium sulcicolle* Wollaston, 1864<sup>©</sup>  
 *Heliocatenus fernandesi* Cobos, 1965<sup>©</sup>  
 *Heliocatenus occidentalis* Oromí, 1984<sup>©</sup>  
 *Langelandia brachati* Daffner, 1983<sup>©</sup>  
 *Tarphius abbreviatus* Wollaston, 1865<sup>©</sup>  
 *Tarphius affinis* Wollaston, 1862<sup>©</sup>  
 *Tarphius barbarae* Gillerfors, 1991<sup>©</sup>  
 *Tarphius camelus* Wollaston, 1862<sup>©</sup>  
 *Tarphius canariensis* Wollaston, 1862<sup>©</sup>  
 *Tarphius caudatus* Wollaston, 1862<sup>©</sup>  
 *Tarphius congestus* Wollaston, 1862<sup>©</sup>  
 *Tarphius deformis* Wollaston, 1862<sup>©</sup>

- Tarphius elongatus* Dajoz, 1971<sup>©</sup>
- Tarphius epinae* Gillerfors, 1986<sup>©</sup>
- Tarphius ericae* Gillerfors, 1986<sup>©</sup>
- Tarphius erosus* Wollaston, 1864<sup>©</sup>
- Tarphius fernandez-lopezi* Franz, 1967<sup>©</sup>
- Tarphius gigas* Wollaston, 1862<sup>©</sup>
- Tarphius gomerae* Franz, 1967<sup>©</sup>
- Tarphius huggerti* Gillerfors, 1991<sup>©</sup>
- Tarphius humerosus* Wollaston, 1865<sup>©</sup>
- Tarphius jandiensis* Machado, 2012<sup>©</sup>
- Tarphius monstrosus* Wollaston, 1865<sup>©</sup>
- Tarphius moyanus* Franz, 1967<sup>©</sup>
- Tarphius oromii* Franz, 1984<sup>©</sup>
- Tarphius palmensis* Gillerfors, 1990<sup>©</sup>
- Tarphius piniphilus* Franz, 1967<sup>©</sup>
- Tarphius postcostatus* Uyttenboogaart, 1937<sup>©</sup>
- Tarphius quadratus* Wollaston, 1862<sup>©</sup>
- Tarphius setosus* Wollaston, 1865<sup>©</sup>
- Tarphius simplex constricticollis* Franz, 1990<sup>©</sup>
- Tarphius simplex rotundicollis* Franz, 1990<sup>©</sup>
- Tarphius simplex simplex* Wollaston, 1862<sup>©</sup>
- Tarphius stagosus* Gillerfors & Oromí, 1991<sup>©</sup>
- Tarphius supranubius* Franz, 1984<sup>©</sup>
- Tarphius tacorontinus* Franz, 1967<sup>©</sup>
- Tarphius tenerifae* Franz, 1967<sup>©</sup>
- Xylolaemus aeonii* (Oromí, & García, 1987)<sup>©</sup>