

Catalogue of Palaeartic Coleoptera

Volume 8

Curculionoidea II

Edited by

I. Löbl and A. Smetana



BRILL

LEIDEN • BOSTON
2013

Curculionidae: Entiminae: Gonipterini

M. A. Alonso-Zarazaga

The following placement and treatment is partly based on Rolf Oberprieler's personal communications. The separation of *Gonipterus platensis* Marelli is based on these communications, on Mapondera *et al.* (2012), and on the fact that Marshall (1928b: 263) already recognized its distinctness from *G. scutellatus* sensu auctt. R. Oberprieler is currently describing as new the species here treated as *G. scutellatus*.

Curculionidae: Entiminae: Holcorhinini

M. A. Alonso-Zarazaga

New synonym

Holcorhinus seriehispidus Boheman, 1834, **syn. nov.** of *Holcorhinus hispidulus* Thon, 1833 (as already suggested by Alonso-Zarazaga & Lyal, 1999).

Curculionidae: Entiminae: Laparocerini

A. Machado

New replacement name

Laparocerus (Fernandezius) subnodosus montivagans **nom. nov.** for *Laparocerus (Fernandezius) subnodosus palmensis* (Roudier, 1957) [secondary homonym of *Laparocerus palmensis* Lindberg, 1953]

Spelling

Laparocerus escaleraei Uyttenboogaart, 1937 = *Laparocerus escaleraorum* Uyttenboogaart, 1937. The first is an incorrect original spelling (Art. 32.5). as the author clearly indicates the species is dedicated to two persons: *dominis M.M. et M.F. de la Escalera reverenter dedicatus*. It is here corrected according to Art. 31.1.2.

Changes in rank

Laparocerus grossepunctatus escaleraorum Uyttenboogaart, 1937, to be **upgraded** to its original species status.
Laparocerus lepidopterus depilis Roudier, 1957a = *Laparocerus depilis* Roudier, 1957a. **Upgraded** to species status.

Laparocerus lepidopterus separandus Lindberg, 1953, to be **upgraded** to its original species status.

Laparocerus obsitus microphthalmus Lindberg, 1950, to be **upgraded** to its original species status.

Laparocerus transversus buenavistae Roudier, 1957 = *Laparocerus buenavistae* Roudier, 1957. **Upgraded** to species status.

New combinations

Laparocerus (Anillobius) portosantoi (Franz, 1970), **comb. nov.** from *Anillobius*.

Laparocerus (Anillobius) solifuga (Fauvel, 1907), **comb. nov.** from *Anillobius*.

Changes in subgeneric assignments

The concept of the nominate subgenus *Laparocerus* Schoenherr, 1834 was restricted by Machado (2008a) to a set of a few Madeiran species, based on molecular studies. Consequently, all Canarian species that were assigned to subgenus *Laparocerus* (see Machado & Oromi, 2000) are to be considered *incertae sedis*, until new subgenera are established for them. Other necessary changes based on molecular studies (unpublished) are as follows:

Laparocerus (Amyntas) grayanus Wollaston, 1865, from *Amyntas* to *incertae sedis*.

Laparocerus (Machadotrox) bolivari Uyttenboogaart, 1937, from subgenus *Machadotrox* to *incertae sedis*.

Laparocerus (Machadotrox) crassifrons Wollaston, 1864, from subgenus *Machadotrox* to *incertae sedis*.

Laparocerus (Machadotrox) curvipes Lindberg, 1959, from subgenus *Machadotrox* to *incertae sedis*.

Laparocerus (Machadotrox) depilis Roudier, 1957, from subgenus *Machadotrox* to *incertae sedis*.

Laparocerus (Machadotrox) escaleraorum Uyttenboogaart, 1937, from subgenus *Machadotrox* to *incertae sedis*.

Laparocerus (Machadotrox) espanoli Roudier, 1954, from subgenus *Machadotrox* to *incertae sedis*.

Laparocerus (Machadotrox) gomerensis Lindberg, 1953, from subgenus *Machadotrox* to *incertae sedis*.

Laparocerus (Machadotrox) grossepunctatus Wollaston, 1864, from subgenus *Machadotrox* to *incertae sedis*.

- Laparocerus (Machadotrox) lepidopterus* Wollaston, 1864, from subgenus *Machadotrox* to *incertae sedis*.
Laparocerus (Machadotrox) scapularis Wollaston, 1864, from subgenus *Machadotrox* to *incertae sedis*.
Laparocerus (Machadotrox) undatus Wollaston, 1864: 342, from subgenus *Machadotrox* to *incertae sedis*.
Laparocerus compactus Wollaston, 1864, from *incertae sedis* to *Pecoudius*.
Laparocerus sulcirostris Wollaston, 1864, from *incertae sedis* to *Pecoudius*.

Curculionidae: Entiminae: Naupactini

M. A. Alonso-Zarazaga

Comments

The genus *Mesagroicus* does not belong to Naupactini (A. Lanteri, pers. comm.), a purely Neotropical tribe, but its affinities are not known. It is still kept in this tribe for convenience.

Spellings

Asynonychus godmanni Crotch, 1867: 389 is the original spelling of this nominal species, which is named after "Mr. Godman". I consider this to be a clear evidence of an inadvertent error (Art. 32.5.1) which makes the original spelling an incorrect one. Moreover, the corrected spelling *godmani* is in use since its publication, attributed to the original reference, and has been used here.

Curculionidae: Entiminae: Nothognathini

M. A. Alonso-Zarazaga

New placement

The genus *Lathrotiorrhynchus* Voss, 1964 is here transferred to this tribe from Entiminae *incertae sedis* in Alonso-Zarazaga & Lyal (1999). It shares with *Nothognathus* Marshall, 1916 the peculiarly conformed scrobes, the rather narrow third tarsomere and the bevelled hind tibiae, differing in the oval elytra with obsolete humeral calli, the laterally rounded and basally narrowed pronotum, the 2nd abdominal ventrite ca. 2 × as long as 3+4 and the caducous mandibular appendages.

Curculionidae: Entiminae: Omiini

R. Borovec

New combination

Omiamima pygmaea (Hustache, 1937), **comb. nov.** from *Omiias*

New synonyms

- Phyllobioides* Formánek, 1923, **syn. nov.** of *Urometopus* Formánek, 1904. Type specimen of type species *Phyllobioides crassicornis* Formánek, 1923 examined.
Phyllobioides crassicornis Formánek, 1923, **syn. nov.** of *Urometopus rugifrons* (Hochhuth, 1851). Type specimen of *Phyllobioides crassicornis* Formánek, 1923 examined.

Priority

Omiias globosus Gyllenhal, 1834 is a species with a senior synonym, *Omiias glomeratus* Schoenherr, 1826. Since the requirements of the Art. 23.9.I cannot be met, and following the Principle of Priority, *Omiias globosus* Gyllenhal, 1834 is here considered invalid, and *O. glomeratus* Schoenherr, 1826 used as the valid name for the species.

Type species designations

- Rhinomias* Reitter, 1894 originally included five species. The oldest from them, *Omiias forticornis* Boheman, 1843 is here designated as the type species of *Rhinomias* Reitter.
Felicienella Reitter, 1913 was established for six species. I designate here the oldest species, *Sciaphilus giganteus* Fairmaire, 1860, as the type species of *Felicienella* Reitter.

Spelling

Curculio bohemanii Zetterstedt, 1837 is here deemed to be an incorrect original spelling, hence unavailable, since the author states in his description the species is named after Boheman. It is corrected to *bohemani* (Art. 32.5.1).

longisetus Pelletier, 2009b: 106 N: AG MO
opacus Desbrochers des Loges, 1897a: 172 (*Cyrtolepus*) N: AG MO
pygmaeus Seidlitz, 1868: 7 (*Holcorhinus*) N: AG MO
seriatellus Desbrochers des Loges, 1905b: 7 N: AG

genus *Periteloneus* Reitter, 1913a: 14 [EA] type species *Peritelus tauri* Schilsky, 1908
schilskyi Reitter, 1913a: 14 A: TR
tauri Schilsky, 1908a: 67 (*Peritelus*) A: TR

genus *Pseudoholcorhinus* Pelletier, 2006c: 188 type species *Holcorhinus arabicus*, 1896
arabicus Pic, 1896c: 95 (*Holcorhinus*) A: SA

genus *Ritelepus* Voss, 1956d: 291 [EA] type species *Ritelepus incertus* Voss, 1956
incertus Voss, 1956d: 292 N: EG

tribe Holcorhinini, species incertae sedis
Cyclobarus yemenensis Voss, 1971c: 534 [EA] A: YE
Holcorhinus siculus Seidlitz, 1868: 8 E: IT (Sicilia)

tribe Laparocerini Lacordaire, 1863

genus *Laparocerus* Schoenherr, 1834b: 530 type species *Laparocerus morio* Boheman, 1834
subgenus *Amyntas* Wollaston, 1865: Appendix, 55 type species *Lichenophagus incomptus* Wollaston, 1865
Canopus Wollaston, 1864: 337 [HN] type species *Atlantis subnebulosa* Wollaston, 1864
arrochai Machado, 2009b: 190 N: CI (La Palma)
bellus Roudier, 1957a: 31 N: CI (Tenerife)
cristatus Machado, 2009b: 193 N: CI (La Palma)
fernandezi Roudier, 1957a: 34 N: CI (Tenerife)
incomptus Wollaston, 1865: Appendix, 55 (*Lichenophagus*) N: CI (El Hierro)
ruteri Roudier, 1957a: 33 N: CI (Tenerife)
subnebulosus Wollaston, 1864: 337 (*Atlantis*) N: CI (Gran Canaria)
tanausu Machado, 2009b: 195 N: CI (La Palma)
tetricus Boheman, 1834b: 542 (*Eremmus*) N: CI (Tenerife)
simplex Brullé, 1839: 71 (*Otiorynchus*)
tibialis Wollaston, 1864: 338 (*Atlantis*) N: CI (Tenerife)
uyttenboogaarti Zumpt, 1940: 677 N: CI (Tenerife)
subgenus *Anillobius* Fauvel, 1907: 71 type species *Anillobius solifuga* Fauvel, 1907
solifuga Fauvel, 1907: 72 (*Anillobius*) N: MR (Madeira)
portosantoi Franz, 1970: 3 (*Anillobius*) N: MR (Porto Santo)
subgenus *Atlantis* Wollaston, 1854a: 361 type species *Atlantis lamellipes* Wollaston, 1854
calcatrix Wollaston, 1854a: 366 (*Atlantis*) N: MR (Madeira)
calcator Marseul, 1873b: 546
clavatus Wollaston, 1854a: 363 (*Atlantis*) N: MR (Madeira)
hobbit Machado, 2008a: 318 N: MR (Madeira)
lamellipes Wollaston, 1854a: 364 (*Atlantis*) N: MR (Madeira)
lauripotens Wollaston, 1854a: 369 (*Atlantis*) N: MR (Madeira)
australis Wollaston, 1864: 370 (*Atlantis*)
lindbergi Roudier, 1963b: 133 N: MR (Madeira)
madeirensis Machado, 2008a: 316 N: MR (Madeira)
noctivagans Wollaston, 1854a: 367 (*Atlantis*) [NP] N: MR (Madeira)
piceus Boheman, 1834b: 531 [NO]
serrado Machado, 2008a: 319 N: MR (Madeira)
undulatus Wollaston, 1862b: 289 N: MR (Madeira)
vespertinus Wollaston, 1854a: 371 (*Atlantis*) N: MR (Madeira)

- subgenus** *Atlantodes* Machado, 2008a: 312 type species *Atlantis mendax* Wollaston, 1854
colasi Roudier, 1958b: 205 N: MR (Madeira)
inconstans Wollaston, 1854a: 375 (*Atlantis*) N: MR (Porto Santo)
instabilis Wollaston, 1854a: 377 (*Atlantis*) N: MR (Porto Santo)
lanatus Wollaston, 1854a: 372 (*Atlantis*) N: MR (Madeira)
mendax Wollaston, 1854a: 376 (*Atlantis*) N: MR (Porto Santo)
navicularis Wollaston, 1854a: 374 (*Atlantis*) N: MR (Porto Santo)
prainha Machado, 2008a: 323 N: MR (Madeira)
- subgenus** *Fernandezius* Roudier, 1957a: 40 type species *Lichenophagus tesslerula* Wollaston, 1864
impressicollis Wollaston, 1864: 368 (*Lichenophagus*) N: CI (Tenerife)
sculptipennis Wollaston, 1864: 367 (*Lichenophagus*) N: CI
subnodosus intermedius Roudier, 1957a: 43 (*Lichenophagus*) N: CI (Tenerife)
subnodosus montivagans Machado, **nom. nov.** [see New Acts] N: CI (La Palma)
palmensis Roudier, 1957a: 43 (*Lichenophagus*) [HN]
subnodosus subcalvus Wollaston, 1864: 336 (*Lichenophagus*) N: CI (El Hierro)
subnodosus subnodosus Wollaston, 1864: 336 (*Lichenophagus*) N: CI (Tenerife)
tesslerula persimilis Wollaston, 1864: 365 (*Lichenophagus*) N: CI (Tenerife)
tesslerula seriesetosus Wollaston, 1864: 365 (*Lichenophagus*) N: CI
tesslerula tesslerula Wollaston, 1864: 364 (*Lichenophagus*) N: CI (Tenerife)
- subgenus** *Fortunotrox* Machado, 2011a: 58 type species *Laparocerus gracilis* Wollaston, 1865
acutipennis Machado, 2007b: 5 N: CI (La Gomera)
benchijigua Machado, 2007b: 6 N: CI (La Gomera)
confusus Machado, 2011a: 62 N: CI (La Gomera)
decipiens Machado, 2009b: 214 N: CI (La Palma)
depressus Machado, 2007b: 7 N: CI (La Gomera)
gracilis Wollaston, 1864: 356 N: CI (La Gomera)
gomeruicola Marseul, 1873b: 531
indutus Wollaston, 1865 Appendix: 53 N: CI (La Gomera)
tectus Marseul, 1873b: 535
juelensis Machado, 2011a: 64 N: CI (La Gomera)
orone aridane Machado, 2009b: 211 N: CI (La Palma)
orone hierrensis Machado, 2011a: 80 N: CI (El Hierro)
orone orone Machado, 2007b: 3 N: CI (La Gomera)
puncticollis Wollaston, 1864: 362 N: CI (El Hierro)
spinimanus Machado, 2007b: 9 N: CI (La Gomera)
subopacus Wollaston, 1865: Appendix: 52 N: CI (La Gomera)
- subgenus** *Guanchotrox* Alonso-Zarazaga & Lyal, 1999: 11 [RN] type species *Laparocerus canariensis* Boheman, 1843
Amphora Wollaston, 1864: 335 [HN] type species *Laparocerus canariensis* Boheman, 1843
astralis Machado, 2009b: 206 N: CI (La Palma)
canariensis Boheman, 1842b: 228 N: CI (Tenerife)
- subgenus** *Laparocerus* Schoenherr, 1834b: 530 type species *Laparocerus morio* Boheman, 1834
Cyphoscelis Wollaston, 1854a: 356 type species *Cyphoscelis distorta* Wollaston, 1854
chaoensis cevadae Roudier, 1961a: 62 N: MR (Ilheu do Desembarcadouro)
chaoensis chaoensis Uyttenboogaart, 1940a: 57 N: MR (Ilheu de Chão)
vandeli Roudier, 1958b: 199
cryptus Machado, 2008a: 315 N: MR
distortus Wollaston, 1854a: 357 (*Cyphoscelis*) N: MR (Madeira)
morio Boheman, 1834b: 531 N: MR (Madeira)
obesulus Desbrochers des Loges, 1904a: 63
- subgenus** *Lichenophagus* Wollaston, 1854a: 389 type species *Lichenophagus fritillus* Wollaston, 1854
acuminatus Wollaston, 1854a: 391 N: MR (Porto Santo)
fritillus Wollaston, 1854a: 390 N: MR (Deserta Grande)
- subgenus** *Machadotrox* Alonso-Zarazaga & Lyal, 1999: 10 type species *Otiorhynchus sculptus* Brullé, 1839
aethiops aethiops Wollaston, 1864: 347 N: CI (El Hierro)

- aethiops garajonay* Machado, 2007b: 15 N: CI (La Gomera)
combrecitensis Roudier, 1957c: 90 [RN] N: CI (La Palma)
palmensis Roudier, 1957a: 20 [HN]
dacilae García, 1988: 45 N: CI (La Palma)
excavatus excavatus Wollaston, 1863: 219 N: CI (Tenerife)
excavatus lugubris Wollaston, 1864: 341 N: CI (Tenerife)
idafe García & Alonso-Zarazaga, 2011: 73 N: CI (La Palma)
iruene Machado & García, 2010: 65 N: CI (La Palma)
laevis Roudier, 1957a: 18 N: CI (La Palma)
politus Roudier, 1957a: 19
sculptus Brullé, 1839: 71 (*Otiorhynchus*) N: CI (La Palma)
zarazagai subreflexus Machado & García, 2010: 68 N: CI (La Palma)
zarazagai zarazagai García & Oromí, 1997: 154 N: CI (La Palma)
subgenus *Mateuius* Roudier, 1957a: 40 type species *Lichenophagus auctus* Wollaston, 1864
auctus amplificatus Wollaston, 1865: 330 (*Lichenophagus*) N: CI (La Gomera)
auctus auctus Wollaston, 1864: 363 (*Lichenophagus*) N: CI (El Hierro)
buccatrix Wollaston, 1865: Appendix, 54 (*Lichenophagus*) N: CI (La Gomera)
subgenus *Pecoudius* Roudier, 1957a: 38 type species *Laparocerus cymbula* Roudier, 1957a (= *Cyphoscelis eliasenae* Uyttenboogaart, 1929)
compactus Wollaston, 1864: 359 N: CI (Gran Canaria)
eliasenae Uyttenboogaart, 1929b: 353 (*Cyphoscelis*) N: CI (Gran Canaria)
cymbula Roudier, 1957a: 38
sulcirostris Wollaston, 1864: 359 N: CI (Gran Canaria)
canalirostris Marseul, 1873b: 537
subgenus *Pseudatlantis* Machado, 2008a: 312 type species *Atlantis excelsa* Wollaston, 1854
abditus Roudier, 1963b: 136 N: MR (Madeira)
excelsus Wollaston, 1854a: 378 (*Atlantis*) N: MR (Madeira)
schaumii Wollaston, 1854a: 379 (*Atlantis*) N: MR
forae Wollaston, 1854a: 380 (*Atlantis*)
silvaticus Machado, 2008a: 319 N: MR (Madeira)
stuebeni Machado, 2008a: 321 N: MR (Madeira)
subgenus *Wollastonius* Machado, 2008a: 313 type species *Omius ventrosus* Wollaston, 1854
aenescens Wollaston, 1854a: 383 (*Omius*) N: MR (Madeira)
angustulus Wollaston, 1857: 116 (*Omius*) N: MR (Madeira)
ventrosus Wollaston, 1854a: 382 (*Omius*) N: MR (Madeira)
waterhousei Wollaston, 1854a: 384 (*Omius*) N: MR
- genus *Laparocerus*, species incertae sedis
acyphus Machado, 2009b: 189 N: CI (La Palma)
aeneotinctus Machado, 2009b: 185 N: CI (La Palma)
aguiari Machado, 2007a: 36 N: CI (Tenerife)
allaudi Uyttenboogaart, 1940a: 55 N: CI (Gran Canaria)
amicorum Machado, 2009b: 212 N: CI (La Palma)
bacalladoi Machado, 2005: 540 N: CI (Tenerife)
bimbache Machado, 2011a: 74 N: CI (El Hierro)
bolivari Uyttenboogaart, 1937b: 97 N: CI (Tenerife)
boticarius Machado, 2007a: 39 N: CI (Tenerife)
brunneus Har. Lindberg, 1953: 14 N: CI (Gran Canaria)
buenavistae Roudier, 1957a: 29 N: CI (Tenerife)
calvus Machado, 2011b: 215 N: CI (Fuerteventura)
cavernarius Machado, 2011a: 84 N: CI (El Hierro)
cephalotes Machado, 2011a: 78 N: CI (El Hierro)
chasnensis Machado, 2007a: 41 N: CI (Tenerife)
colonnellii Machado, 2011b: 232 N: CI (Fuerteventura)
crassifrons Wollaston, 1864: 345 N: CI (Tenerife)

- crassirostris* Wollaston, 1864: 345 N: CI (Gran Canaria)
crassus Roudier, 1957a: 28 N: CI (Tenerife)
curvipes curvipes Har. Lindberg, 1950: 17 N: CI (Tenerife)
curvipes espanoli Roudier, 1954d: 84 N: CI (Fuerteventura, Lanzarote)
curvipes famarae Machado, 2011b: 219 N: CI (Lanzarote)
debilis Wollaston, 1865: Appendix, 53 N: CI (Tenerife)
depilis Roudier, 1957a: 22 N: CI (Tenerife)
dispar Wollaston, 1864: 357 N: CI (Lanzarote)
dissimilis Har. Lindberg, 1950: 17 N: CI (Tenerife)
edaphicus Machado, 2008b: 1278 N: CI (Tenerife)
ellipticus Wollaston, 1863: 220 N: CI
elongatus Machado, 2009b: 198 N: CI (La Palma)
escaleraorum Uyttenboogaart, 1937b: 96 N: CI (Tenerife)
exiguus Machado, 2007b: 11 N: CI (La Gomera)
exophthalmus Machado, 2007b: 12 N: CI (La Gomera)
feloi Machado, 2009b: 203 N: CI (La Palma)
femoralis Machado, 2009b: 188 N: CI (La Palma)
fraterculus Machado, 2011b: 211 N: CI (Fuerteventura)
freyi Uyttenboogaart, 1940c: 675 N: CI (Tenerife)
garretai albosquamosus Machado, 2011b: 237 N: SG (Gran Pitón)
garretai garretai Uyttenboogaart, 1940a: 56 N: MR (Selvagem Grande)
gomerensis Har. Lindberg, 1953: 15 N: CI (La Gomera)
grayanus Wollaston, 1865: 309 (*Atlantis*) [RN] N: CI (Gran Canaria)
 angustus Wollaston, 1863: 219 (*Atlantis*) [HN]
grossepunctatus grossepunctatus Wollaston, 1864: 344 N: CI (Tenerife)
grossepunctatus tenuipunctatus Roudier, 1957a: 20 N: CI (Tenerife)
heres heres Machado, 2007b: 29 N: CI (La Gomera)
heres jocoensis Machado, 2007b: 35 N: CI (Tenerife)
hirtus Wollaston, 1864: 348 N: CI (Gran Canaria)
 doramasensis Uyttenboogaart, 1929: 352
humeralis Machado, 2007b: 23 N: CI (La Gomera)
hupalupa Machado, 2007b: 16 N: CI (La Gomera)
hypogeus Machado, 2011a: 82 N: CI (El Hierro)
inaequalis globulipennis Wollaston, 1864: 349 N: CI (La Palma)
 globosipennis Marseul, 1873b: 531
inaequalis inaequalis Wollaston, 1863: 220 N: CI (Tenerife)
inconspectus Roudier, 1957a: 27 N: CI (Gran Canaria)
inermis Machado, 2007b: 18 N: CI (La Gomera)
inflatus Wollaston, 1865: Appendix, 41 N: CI (La Gomera)
 tumens Marseul, 1873b: 526
junonius Machado, 2007b: 19 N: CI (La Gomera)
lepidopterus lepidopterus Wollaston, 1864: 352 N: CI
 bellopterus Marseul, 1873b: 527
lepidopterus pecoudi Roudier, 1957a: 22 N: CI (Gran Canaria)
longiclava Har. Lindberg, 1953: 15 N: CI (Tenerife)
longipennis Machado, 2011b: 213 N: CI (Fuerteventura)
lopezi Machado, 2008b: 1285 N: CI (Gran Canaria)
magnificus Machado, 2011a: 70 N: CI (La Gomera)
mateui mateui Roudier, 1954d: 85 N: CI (La Gomera)
mateui tuberosus Machado, 2011a: 74 N: CI (El Hierro)
maxorata Machado, 2011b: 208 N: CI (Fuerteventura)
mendicus Wollaston, 1864: 355 N: CI (El Hierro)
microphthalmus Har. Lindberg, 1950: 16 N: CI (Gran Canaria)
morrissi Machado, 2009b: 218 N: CI (La Palma)
mucronatus Machado, 2009b: 201 N: CI (La Palma)

- mulagua* Machado, 2007b: 25 N: CI (La Gomera)
obscurus Wollaston, 1864: 355 N: CI (Tenerife)
obscurellus Marseul, 1873b: 529
obsitus Wollaston, 1864: 361 N: CI (Gran Canaria)
persitus Marseul, 1873b: 534
obtriangularis Wollaston, 1864: 351 N: CI (Tenerife)
occidentalis Wollaston, 1864: 350 N: CI (El Hierro)
oculatissimus Machado, 2007b: 14 N: CI (La Gomera)
oromii Machado, 2008b: 1282 N: CI (La Gomera)
palmensis Har. Lindberg, 1953: 16 N: CI (La Palma)
pilosiventris Machado, 2011a: 68 N: CI (La Gomera)
propinquus Har. Lindberg, 1953: 14 N: CI (Gran Canaria)
rasmus betancor Machado, 2011b: 223 N: CI (Fuerteventura)
rasmus jandiensis Machado, 2011b: 224 N: CI (Fuerteventura)
rasmus rasmus Wollaston, 1864: 354 N: CI (Lanzarote)
rotundatus Machado, 2011a: 65 N: CI (La Gomera)
roudieri Machado, 2007b: 22 N: CI (La Gomera)
rugosicollis Uyttenboogaart, 1937b: 98 N: CI (Tenerife)
sanchezi Roudier, 1957a: 24 N: CI (El Hierro)
nitidirostris Roudier, 1957a: 25
scapularis Wollaston, 1864: 347 N: CI (Tenerife)
wollastoni Marseul, 1873b: 521
semitens Har. Lindberg, 1950: 17 N: CI (Tenerife)
squamosus Brullé, 1839: 71 (*Otiiorhynchus*) N: CI (Gran Canaria)
seniculus Wollaston, 1864: 353
separandus Har. Lindberg, 1953: 14 N: CI (Gran Canaria)
subparallelus Machado, 2007a: 43 N: CI (Tenerife)
supranubius Machado, 2009b: 210 N: CI (La Palma)
susicus inexpectatus Machado, 2011b: 229 N: MO
tessellatus Hustache, 1932b: 43 (*Cyclomaurus*) [HN]
susicus montanus Machado, 2011b: 229 N: MO
susicus susicus Escalera, 1914: 424 (*Cyclobarus*) N: MO
tarsalis Machado, 2009b: 205 N: CI (La Palma)
tenellus Wollaston, 1864: 362 N: CI (Tenerife)
tessellatus Brullé, 1839: 72 (*Omius*) N: CI (Tenerife)
tinguaro Machado, 2007a: 44 N: CI (Tenerife)
transversus Har. Lindberg, 1950: 16 N: CI (Tenerife)
undatus Wollaston, 1864: 342 N: CI (Tenerife)
vestitus affinis Wollaston, 1864: 358 N: CI
vestitus vestitus Wollaston, 1864: 358 N: CI
velatus Marseul, 1873b: 532
vicinus Har. Lindberg, 1953: 15 N: CI (Gran Canaria)
xericola Machado, 2011b: 231 N: CI (Fuerteventura)

tribe Mesostylini Reitter, 1913

- genus *Amesostylus* Arnol'di, 1960: 284** type species *Mesostylus schelli* Reitter, 1913
amudarjensis Arnol'di, 1960: 286 A: UZ (Nukus, Amu-Darja)
schelli Reitter, 1913f: 279 (*Mesostylus*) A: KZ UZ
syrdarjensis Arnol'di, 1960: 286 A: KZ (Syr-Darja)

- genus *Kasakhstania* Arnol'di, 1960: 286** type species *Kasakhstania romadinae* Arnol'di, 1960
romadinae Arnol'di, 1960: 286 A: KZ (right bank of Ural River)

- genus *Mesostylus* Faust, 1894a: 57** type species *Mesostylus hauseri* Faust, 1894
hauseri Faust, 1894a: 58 A: IN KZ TM UZ